

Cleveland™

SUGGESTED LIST PRICE STANDARD EQUIPMENT AND ACCESSORIES

2024 PRICE LIST



TIMELESS QUALITY
TRUSTED FOR LIFE



EFFECTIVE | JANUARY 1, 2024

1 CLEVELAND IS STEAM

Our sole focus is on Steam Cooking Equipment since 1922. We are North America’s largest steam equipment provider.

2 STATE OF THE ART CONCORD FACILITY

Our state of the art Concord facility is both ASME and ISO 9001 approved.

- ISO9001 Quality System, Since 1997
- ASME - 100 PSI High Pressure Vessel Certified since 1977
- CE Mark Pressure Vessel Approval for Europe since 2002
- SELO of AQSIIQ Pressure Vessel Approval for China.



3 WE OFFER AN EXTENSIVE PRODUCT LINE

More models to suite any application

4 QUICKSHIP WAREHOUSE PROGRAM



QS — QuickShip Items (48 hours)

EX — Express Items (10 work day lead time)

5 BEST IN CLASS

“Best in Class” winner by FE&S Magazine for 16 years; in 2017 winning 10 of 12 Categories.



STEAMERS
(16 times)
Overall Winner
Operators Winner
Consultant Winner
Dealer Winner



KETTLES
(8 times)
Overall Winner
Operators Winner
Dealer Winner



TILT SKILLETS
(9 times)
Overall Winner
Consultant Winner
Dealer Winner

6 CUSTOMER & TECHNICAL SUPPORT

Steam focused **Customer & Technical Support** via an experienced team ready to help, **both pre-sale and aftermarket!**

7 WARRANTY

A **Unique Warranty** with low industry rates offering the best overall warranty coverage. Our product reliability creates low rates.

STEAMERS

SteamChef Electric, 3 & 6 Pans (22CCT6, 22CET3.1 22CET6.1)..... 5

SteamChef Gas, 3 & 6 Pans (22CGT3.1, 22CGT6.1)..... 6

SteamCraft 3 & 5 Pan (21CET8, 21CET16, 21CGA5)..... 7

SteamCraft, Gemini 10-Pan Steamers (24CGA, 24CEA, 24CGP, 24CDP10)..... 8

Classic Line Steamers, 15 PSI Boilers, Convection, Pressure Steamers 5 Classic Line Boiler Base with Kettles..... 9

Modular Bases with Kettles — Classic Line 10

Installation Program, Water Filters..... 11

Steamer Accessories 12

KETTLES

Countertop Electric Kettles & Stands (KET, TKET Series)..... 13

Countertop Gas Kettles & Stands (KGT Series) 14

Floor Model Gas Kettles Stationary (KGL Series) 15

Floor Model Gas Kettles, Tilting (KGL-T Series) 16

Floor Model Electric Kettles, Stationary (KEL Series) 17

Floor Model Electric Kettles, Tilting (KEL-T Series) 18

Countertop Direct Steam kettles, Modular Stands (KDT-T Series, SD Series) 19

Floor Model Direct Steam Kettles, Stationary (KDL Series) 20

Floor Model Direct Steam Kettles, Tilting (KDL-T Series) 21

Kettle Accessories 22-24

Mixer Kettles, Vertical Sweep & Fold Series, Direct Steam (MKDL, TMKDL Series)..... 25

Mixer Kettles, Vertical Sweep & Fold Series, Electric (MKEL, TMKEL Series)..... 26

Mixer Kettles, Vertical Sweep & Fold Series, Gas (MKGL Series)..... 27

TILT SKILLETS

Countertop Electric (SET10, SET15)..... 28

Floor Model "Durapan" Series (SEL-SGL-TR Series) 29

Floor Model, Power Pan, (SEL-SGL-T1 Series) 26 Tilt Skillet Accessories 30

Tilting Skillet Accessories 31

PRODUCT REFERENCE SECTION

Model Number Legend 32

THE CLEVELAND ADVANTAGE – KEY PRODUCTS AND FEATURES

Steamers

 SteamCraft 3/5, Gemini 10 Feature Callouts 33

 SteamChef Boilerless Convection Steamers (22CET, 22CGT, 22CCT Series)..... 34

 SteamChef Patented KleanShield (22CET, 22CGT, 22CCT Series) 35

 SteamCraft 3/5 Steamers (21CET8, 21CET16)..... 36

 Gemini 10 Pan Convection Steamer (24CGA10.2)..... 37

 Classic Line Steamers (24CGM, 24CEM Series)..... 38

 Steamer Warranty 39

Steam Jacketed Kettles

 Gas and Electric Feature Kettle Callouts (KEL, KGL Series) 40

 Benefits of Steam Jacket Kettle Cooking 41

 Countertop Steam Jacketed Kettles (KET, TKET-T Series) 42

THE CLEVELAND ADVANTAGE – KEY PRODUCTS AND FEATURES (CONTINUED)

Steam Jacketed Kettles

- Gas Floor Model Steam Jacketed Kettles (KGL Series).....43
- Guide to Kettle Drain Valves44
- Swing Drain Funnels45
- Pan Carriers (PCK) and Flow Diverters (FD) for Tilting Kettles46

Tilting Skillets

- SGL-T1 Series Features Callouts.....47
- DuraPan - TR Series Tilt Skillets (SGL, SEL-TR)48
- PowerPan, T1 Series Tilt Skillets (SEL, SGL-T1).....49

Cook Chill Systems

- Mixer Kettles, HA Series, Vertical Sweep and Fold Series50
- Self-Contained Cook Chill Systems51

EASYDIAL CONTROLS for Self-Contained Tilting Kettles, T1 Series Tilt Skillets 52

CORRECTIONAL PACKAGES 53-54

MARINE SHIPBOARD PACKAGES.....55

TECHNICAL INFORMATION

- Recommend Pipe Capacity for Direct Steam Kettles56
- Recommended Piping Schematic for direct Steam Kettles.....56
- Steam Requirement Data - Boiler Sizing Information.....57
- Steam Flow Rates for Direct Steam Kettles57
- Pressure Temperature Chart57
- Kettle and Tilt Skillet Capacity Serving Calculator.....58
- Energy Star and LEED information for Steamers59

STATEMENT OF POLICIES.....60

WARRANTY & EXTENDED WARRANTY PROGRAM..... 61-62

STEAMER INSTALLATION PROGRAM.....63

WATER TREATMENT SELECTION GUIDELINES64

QUICK SHIP PROGRAM.....65

SHIPPING WEIGHTS, DIMENSIONS, CUBIC FEET, FREIGHT CLASS 66-67

CONVECTION STEAMERS, ELECTRIC BOILERLESS

STEAMCHEF BOILERLESS CONVECTION STEAMERS WITH KLEANSHIELD







STEAM CHEF® Convection Steamer, Electric Boilerless 208-240 Volt 3 Phase, 60 Minute Electro-Mechanical Timer & Manual (Continuous Steaming) Bypass Switch, Surecook Load Compensating Timer, Self Adjusting Two-Piece Compartment Door, Patented KleanShield Compartment Design Eliminates Flavor Transfer, Door Steam Shut Off Switch, Capacity For Three Or Six 12" X 20" X 2.5" Pans, Heavy 14 Gauge Stainless Steel Construction, 4" Adjustable Legs, Meets Energy Star®, UL197/NSF Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
ELECTRIC CONNECTIONLESS STEAMCHEF, 208-240 VOLT, 3 PHASE STANDARD				
	22CCT6	6-Pan SteamChef Electric Connection-less Convection Steamer With KleanShield	335/153	\$21,847
	(2)22CCT66	Two 22CCT6 with ES26304466G stacking stand with KE004074 mounting kit		\$52,987
	KE004074	Mounting Kit For 22CCT6 (Required For Mounting To Unistand34 And ES26304466G)		\$0
ELECTRIC CONNECTED STEAMCHEF 208-240 VOLT, 3 PHASE STANDARD				
	22CET3.1	3-Pan Electric Boilerless Convection Steamer (Drain And Water Connection Required)	235/107	\$20,894
	22CET6.1	6-Pan Electric Boilerless Convection Steamer (Drain And Water Connection Required)	335/153	\$27,116
	(2) 22CET33.1	(2) 22CET3.1 Stacked With ES263044E Stacking Stand		\$44,566
	(2) 22CET63.1	(1) 22CET3.1, (1) 22CET6.1 Stacked With ES263044E Stacking Stand		\$53,103
	(2) 22CET66.1	(2) 22CET6.1 Stacked With ES263044E Stacking Stand		\$59,012
STEAMCHEF OPTIONS				
	ELEVATION	Specify elevation over 3,500 feet		\$0
	SPH	Single Phase Option		\$0
	VOS2	440-480 volt option		\$480
	DHR	Door Hinged Right, Controls On The Left , (22CET3.1, 22CET6.1 Only)		\$1,005
	1114941	Right Side Heat Shield For 22CET3.1 - 3 Pan SteamChef		\$1,658
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE PAGE 12)				
	NHT60	5 Foot Long FDA Garden Hose Style Water Connection (2 Required - P/N 110999)		\$446
	SPW	Single Point Water Connection (P/N 111009) Not Available On Stacked Units		\$441
	LPCK	Natural To LP Gas Conversion Kit For Gas SteamChef (P/N114678)		\$496
	PR	Additional Pan Rack Guides (Set) For 3 Pan		\$997
	WBT-QT11-CR	Optipure Water Filter	12/6	\$1,142
	EQUIPMENT STANDS			
CHEFSTACK3	Stack Kit (Spacer , Water, Drain Kit) For Two 3-Pan SteamChef's (Unistand25 Required) (PN 111771)			\$1,515
130130S	Stacking Stand For Stacking 3-6 Pan Electric SteamChef (22CET3.1, 22CET6.1) (P/N 111467E)		100/44	\$5,453
ES26304466G	Stacking stand for two each model (22CCT6) (P/N113130G)			\$5,453
UNISTAND34	34" High Equipment Stand for Single Unit (P/N 111721)			\$3,913
UNISTAND25	25" High Equipment Stand for single unit or direct stacking a 22CET3.1 (P/N111717)			\$3,913
113101	Casters for SteamChef Equipment Stands			\$201

CONVECTION STEAMERS, GAS BOILERLESS

GAS STEAMCHEF BOILERLESS CONVECTION STEAMERS WITH KLEANSHIELD

STEAM CHEF® Convection Steamer, Gas Boilerless, 32,000 BTU'S, 60 Minute Electro-Mechanical Timer & Manual (Continuous Steaming) Bypass Switch, Surecook Load Compensating Timer, Self Adjusting Two-Piece Compartment Door, Patented KleanShield Compartment Design Eliminates Flavor Transfer, Door Steam Shut Off Switch, Capacity For Three Or Six 12" X 20" X 2.5" Pans, Heavy 14 Gauge Stainless Steel Construction, 4" Adjustable Legs, Meets Energy Star®, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
GAS STEAMCHEF STANDARD WITH 115 VOLT, NATURAL GAS				
	22CGT3.1	3-Pan Gas Boilerless Convection Steamer (Drain And Water Connection Required)	255/116	\$25,265
	22CGT6.1	6-Pan Gas Boilerless Convection Steamer (Drain And Water Connection Required)	355/161	\$32,642
	(2) 22CGT33.1	(2) 22CGT3.1 Stacked With ES26304433G Stacking Stand Connected		\$57,026
	(2) 22CGT63.1	(1) 22CGT3.1, (1) 22CGT6.1 Stacked With ES26304466G Stacking Stand		\$63,987
	(2) 22CGT66.1	(2) 22CGT6.1 Stacked With ES26304466G Stacking Stand		\$70,651
	111895	Mounting Kit Required For Single Unit On Stand		\$0
OPTIONS				
	ELEVATION	Specify Elevation If Over 2,000 Feet For Gas Models		\$0
	LPG	L.P. Gas Option		\$0
	COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE PAGE 12)			
	NHT60	5 Foot Long FDA Approved Garden Hose Style Water Connection (2 Required - P/N 110999)		\$446
	SPW	Single Point Water Connection (P/N 111009) Not Available On Stacked Units		\$441
	LPCK	Natural To LP Gas Conversion Kit For Gas SteamChef (P/N114678)		\$496
	PR	Additional Pan Rack Guides (Set) For 3 Pan		\$1,027
	WATER FILTERS			
	WBT-QTI1-CR	Optipure Water Filter	12/6	\$1,142
	EQUIPMENT STANDS			
	UNISTAND34	34" High Equipment Stand For Single Unit (P/N 111721)	85/39	\$3,913
	UNISTAND25	25" High Equipment Stand For Single or Stacked Unit (P/N111717)	75/34	\$3,913
	POSK	Pull Out Shelf Kit For Unistands (P/N 111724)		\$1,052
	URK	Pan Rack Kit For Unistand (P/N 111726)		\$795
	ES26304466G	Stacking Stand For Stacking 6-Pan Gas SteamChef, 22CGT6.1 (P/N) 113130G)	100/44	\$5,453
	ES26304433G	Stacking Stand For Stacking 3- Pan Gas SteamChef 22CGT3.1(P/N) 113131G)	100/44	\$5,453
	113101	Casters for SteamChef Equipment Stands		\$201

CONVECTION STEAMERS, COUNTER TOP, STAINLESS STEEL GENERATORS

STEAMCRAFT COUNTER TOP CONVECTION GENERATOR MODELS

SteamCraft® Generator Style Convection Steamer, 60 Minute Electro-Mechanical Timer & Manual (Continuous Steaming) Bypass Switch, Capacity For three or five 12" X 20" X 2.5" Pans, Self Adjusting Two-Piece Compartment Door, Auto Water Fill And Drain, Firebar Style Self Cleaning Heating Element With Special Low Watt Drying Element For Dry Steam (Electric Models), Steam Shut Off Door Switch, Heavy 14 Gauge Stainless Steel Construction, 4" Adjustable Legs Standard, Easy Access Descaling Port, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
ELECTRIC & GAS MODELS AVAILABLE				
	21CET8	3-Pan Convection Steamer with Electric Steam Generator, 8 Kw	210/50	\$18,270
	(2) 21CET8	(2) 21CET8 Stacked, Includes Stacking Kit And Stand, Field Assembled, 8 W Each	600/272	\$43,274
	21CET16	5-Pan Convection Steamer with Electric Steam Generator, 16 Kw	248/58	\$24,728
	21CGA5	5-Pan Convection Steamer with Gas Generator, 70,000 BTU's, Natural Gas, 115 Volt	275/125	\$35,457
OPTIONS				
	VOS1	208 Or 240 Volt 3 Phase (Must Specify One On Electric Models)		\$0
	VOS2	440-480 Volt 3 Phase (Electric Models)		\$1,218
	SPH	Single Phase Option (21CET8 Only)		\$0
	DHR	Door Hinged Right, Controls On The Left (Not Available On 21CGA5)		\$1,005
	1114941	Heat Shield For 21CET8 Only Right Side		\$1,658
	LPG	LP Gas Option (21CGA5)		\$0
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0
	CPSCG	Prison Packages, Tamper Proof Pan Racks, Tamper Proof Exterior Sheeting, Tamper Proof Descaling Port, Protective Cover for Controls, Hasp Lock by others. (See Page 53 for Details)		\$2,536
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE PAGE 12)				
	SMDCK	(P/N FK104658) Drain Cooling Kit For Counter Top Steamers (21CET8, 21CET16, 21CGA5)		\$625
	DISSOLVE	Dissolve Descaling Solution Case Of 6 - One Gallon Containers (106174)		\$724
	BDPK1	Boiler Descaling Pump Kit - For Generators With Descale Port (1071421)		\$1,998
	QDC60	60" Quick Disconnect Hose (Gas Models)		\$1,804
	PR	Additional Pan Rack Guides - 3 Pan Models		\$1,027
	SPH1	Single Phase Conversion Kit For 21CET8		\$2,105
	WATER FILTERS			
	WBT-QT11-CR	QT11-CR Optipure Water Filter	12/6	\$1,142
	QTSX-2PG	QTSX-2PG High Hardness Optipure Water Filter	12/6	\$1,267
	1150360	Water Quality Test Kit		\$71
EQUIPMENT STANDS				
	UNISTAND34	34" High Equipment Stand (P/N 111721)	85/39	\$3,913
	UNISTAND25	25" High Equipment Stand Or Direct Stacking A 21CET8 (P/N 111717)	75/34	\$3,913
	POSK	Pull Out Shelf Kit For Unistands (P/N 111724)		\$1,052
	URK	Pan Rack Kit For Unistand (P/N 111726)		\$795
	STK1	Stacking Kit For Direct Stacking Two 21CET8'S (P/N 107166) Requires Unistand25		\$2,898
	ES2446	Steamcraft Stacking Stand For Stacking Two 21CET8, Or Two 21CET16 (Not Available On 21CGA5) (P/N 1054251)	77/34	\$6,645



Model (2)21CET8: Direct stacking two 21CET8 requires using Stacking Kit STK1 (PN 107166) and Unistand25. Contact factory for pricing and installation instructions.

CONVECTION STEAMERS, COUNTER TOP, STAINLESS STEEL GENERATORS

10-PAN CONVECTION STEAMERS — FLOOR MODEL WITH GENERATORS

Steamcraft® 10 Convection Steamer, 2 Compartment Generator Style Steamer. Turbo Charged Forced Air Gas Combustion Design (Gas Models) Capacity For Ten 12" X 20" X 2.5" Pans, 60-Minute Electro-Mechanical Timer & Manual (Continuous Steaming) Bypass Switch, Self Adjusting Two-Piece Compartment Door, Door Steam Shut Off Switch, Heavy Gauge Stainless Steel Construction, 6" Level Adjustable Flanged Feet, Easy Access Descaling Port, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
GAS, ELECTRIC, DIRECT STEAM MODELS AVAILABLE					
	24CGA6.2S	6 -Pan Convection, Gas Gemini Series Twin Generator, 50M BTU's Each	565/256	\$55,604	
	24CGA10	10-Pan Convection, Gas Single Generator, 125M BTU	565/256	\$51,301	
	24CGA10.2	10-Pan Convection, Gas Gemini Series Twin Gas Generator 72M BTU'S Each	565/256	\$56,570	
	24CGA10.2ES	10-Pan Convection, Gas Gemini Series Twin Gas Generator 50M BTU'S Each Meets Energy Star	565/256	\$63,337	
	24CGP10	10-Pan Convection, Gas 15 PSI Gas Boiler, 240M BTU	830/376	\$81,193	
	24CEA10	10-Pan Convection, Electric Gemini Series Twin Generator, 16 Kw Each	528/240	\$53,569	
	24CDP10	10-Pan Convection, Direct Steam (Must Use Clean Potable Steam Source, 20 - 50- PSI Incoming Required)	495/224	\$50,763	
	OPTIONS				
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet			\$0
	LPG	LP - Propane Gas (Gas Models)			\$0
FF	Level Adjustable Flanged Feet For Floor Bolting Standard			STD	
VOS1	208 Or 240 Volt 3 Phase (Must Specify One 24CEA10 Only)			\$0	
VOS22	440-480 Volt 3 Phase (24CEA10 Only)			\$1,218	
LWO	Low Wattage Option 8 Kw Per Compartment (24CEA10 Only)			\$243	
DHR2	Door Hinged Right, Controls On The Right (Not Available On 24CGA6.2S, 24CDP10)			\$1,921	
CPSCG	Prison Packages, Tamper Proof Pan Racks, Tamper Proof Exterior Sheeting, Tamper Proof Descaling Port, Protective Cover for Controls, Hasp Lock by others. (See Page 53 for Details)			\$2,536	
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE PAGE 12)					
	DISSOLVE	Dissolve Descaling Solution 6 - One Gallon Containers (106174)		\$724	
	BDPK	Boiler Descaling Pump Kit - For 15 PSI Boiler Models (24CGP10 Only) (PN 107142)		\$1,998	
	BDPK1	Boiler Descaling Pump Kit - For Generators With Descale Port (1071421)		\$1,998	
	QDC60	5 Foot Long 3/4" Long Gas Quick Disconnect Hose, Gas Models Only (P/N 1007841)		\$1,804	
	GPTO10	Gas Power Take Off Kit To Operate Direct Steam Kettles (P/N 40946 - 24CGP10 Only)		\$1,046	
		IMK6	6 Foot Long Kettle Interconnect Hose (409351) Requires Power Take Off Kit (Model 24CGP10 Only)		\$896
		IMK10	10 Foot Long Kettle Interconnect Hose (409355) Requires Power Take Off Kit (Model 24CGP10 Only)		\$1,238
		IMK15	15 Foot Long Kettle Interconnect Hose (409358) Requires Power Take Off Kit (Model 24CGP10 Only)		\$1,560
		LGDCK	Large Drain Cooling Kit Floor Model Steamers (Requires 115 Volt)		\$1,300
		113716	Heat Shield For 24CGA10, 24CEA10, 24CGP10 Right Side Only		\$2,621
113717		Heat Shield For 24CGA10.2 Right Side Only		\$2,621	
WATER FILTERS					
	WBT-QT11-CR	QT11-CR Optipure Water Filter		\$1,142	
	QTSX-2PG	QTSC-2PG High Hardness Optipure Water Filter		\$1,267	
	OP350/50	Reverse Osmosis Filter, 350 Gal. Day, 50 Gallon Tank For 24CGA10.2, 24CGA10, 24CEA10		\$11,444	
	WBT-BWS1500/50	Reverse Osmosis Filter, 1,500 Gal. Day, 50 Gallon Stor. Tank For 24CGP10		\$19,651	
	1150360	Water Quality Test Kit		\$71	

CONVECTION & PRESSURE STEAMERS, BOILER BASE (15 PSI)

CLASSIC LINE STEAMERS — BOILER BASE STEAMERS




Cleveland Classic Convection & Pressure Steamers, 15 PSI Boiler Base (Gas, Electric, Steam Coil) Steamer With 5-Year Prorated Boiler Warranty, Heavy 14 Gauge Stainless Steel Construction, 6" Level Adjustable Flanged Feet, Heavy Stainless Steel Frame, 60 Minute Mechanical Timer, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
6 - PAN CONVECTION, ELECTRIC, GAS, DIRECT STEAM, STEAM COIL MODELS AVAILABLE				
	24CGM200	6-Pan Convection Steamer, 200M BTU Gas 15 PSI Boiler, 24" Wide Base	610/277	\$72,092
	24CEM24	6-Pan Convection Steamer, Electric 24Kw 15 PSI Boiler, 24" Wide Base	530/240	\$69,266
	24CSM	6-Pan Convection Steamer, Steam Coil 15 PSI Boiler, 24" Wide Base	635/288	\$77,368
	36CGM300	6-Pan Convection Steamer, 300M BTU Gas 15 PSI Boiler, 36" Wide Base	755/342	\$81,578
16 - PAN CONVECTION, ELECTRIC, GAS, DIRECT STEAM, MODELS AVAILABLE				
	36CGM16300	16-Pan Convection Steamer, 300M BTU Gas 15 PSI Boiler, 36" Wide Base	1080/499	\$97,097
	36CEM1648	16-Pan Convection Steamer, Electric 48Kw 15 Boiler, 36 Wide Base	1080/499	\$80,597
	36CDM16	16-Pan Convection Steamer, Direct Steam (Requires Clean Steam, 35-50 PSI), 36" Base	1080/499	\$65,060
2 & 3 COMPARTMENT PRESSURE STEAMERS, ELECTRIC, GAS, DIRECT STEAM				
	PEM242	2-Compartment Pressure Steamer, 24Kw Electric 15 PSI Boiler, 36" Wide Base	830/426	\$77,261
	PEM243	3-Compartment Pressure Steamer, 24Kw Electric 15 PSI Boiler, 36" Wide Base	830/426	\$79,864
	PGM3002	2-Compartment Pressure Steamer, 300M BTU Gas 15 PSI Boiler, 36" Wide Base	874/397	\$84,048
	PGM3003	3-Compartment Pressure Steamer, 300M BTU Gas 15 PSI Boiler, 36" Wide Base	1040/472	\$100,430
	PDL2	2-Compartment Pressure Steamer, Direct Steam, 36" Wide Base	510/231	\$46,492
	PDL3	3-Compartment Pressure Steamer, Direct Steam, 36" Wide Base	600/272	\$61,052
OPTIONS				
FF	Level Adjustable Flanged Feet For Floor Bolting Standard			STD
LPG	LP Gas Option, Gas Models			\$0
ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet			\$0
36KW	36Kw Option For Electric Boilers			\$2,195
48KW	48 Kw Option For Electric Boilers			\$4,483
VOS22	440-480 Volt, 60 Hz, 3 Phase (Electric Models Only)			\$1,218
PKO	PKO - Power Take Off Option For Pressure Steamers To Operate Kettles			\$2,479
CP-CCX	Prison Packages, Tamper Proof Pan Racks, Tamper Proof Exterior Sheeting, Tamper Proof Cabinet Base with Hasp, Protective Cover for Control with Hasp, Hasp Lock by others. (See Page 49 for Details)			\$3,876
COMMON ACCESSORIES (FOR DETAILED ACCESSORIES SEE PAGE 12)				
	GPTO	Power Take Off Kit For Gas Boilers - 6 Pan Convection Models Only (40946)		\$1,045
	EPTO	Power Take Off Kit For Electric Boilers 6 Pan Convection Models Only (40947)		\$1,036
	IMK6	6 Foot Long Kettle Interconnect Kit (409351)		\$896
	IMK10	10 Foot Long Kettle Interconnect Kit (409355)		\$1,238
	IMK15	15 Foot Long Kettle Interconnect Kit (409358)		\$1,560
	DISSOLVE	Descaling Solution 6 - One Gallon Containers (106174)		\$724
	BDPK	Boiler Descaling Pump Kit - 15 PSI Boilers (107142)		\$1,998
	LGDK	Large Drain Cooling Kit Floor Model Steamers (Requires 115 Volt)		\$1,300
	QDC60	5 Foot 3/4" Long Gas Quick Disconnect Hose, Gas Models Only 24CGM200, 36CGM300 Models (P/N 1007841)		\$1,804
	WATER FILTERS			
WBT-QTI1-CR	Optipure Water Filter		12/6	\$1,142
QTSX-2PG	High Hardness Optipure Water Filter		12/6	\$1,267
OP350/50	Reverse Osmosis Filter, 350 Gal. Day, 50 Gallon Storage Tank (For 24 Kw Boilers Only)		25/12	\$11,444
WBT-BWS1500/50	Reverse Osmosis Filter, 1,500 Gal. Day, 50 Gallon Storage Tank (200M, 300M BTU Boilers)		25/12	\$19,651
1150360	Water Quality Test Kit			\$71

MODULAR BASES WITH KETTLES, BOILER BASE (15 PSI)

MODULAR BASES WITH KETTLES — BOILERS

Cleveland Classic Boiler Base, 15 PSI Boiler Base (Gas, Electric, Direct Steam) With 5-Year Prorated Boiler Warranty, Heavy 14 Gauge Stainless Steel Construction, 6" Level Adjustable Flanged Feet, Heavy Stainless Steel Frame, Full Width Drain Trough And Grate, Splash Guard, 6 & 10 Gallon Direct Steam Combinations, Double Pantry Faucet, 316 Stainless Steel Interior On Kettle, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	24EMK624	One 6-Gallon Kettle, 24Kw 15-PSI Boiler	565/256	\$49,767
	36EMK6624	Two 6-Gallon Kettles, 24Kw 15-PSI Boiler	610/276	\$73,681
	24GMK6200	One 6-Gallon Kettle, 200M BTU Gas 15-PSI Boiler	565/256	\$57,130
	36GMK66300	Two 6-Gallon Kettles, 300M BTU Gas 15-PSI Boiler	630/286	\$80,247
	36GMK1010300	Two 10-Gallon Kettles, 300M BTU Gas 15-PSI Boiler	630/286	\$83,295
	24DMK6	One 6-Gallon Kettle, Direct Steam	565/256	\$30,369
	36DMK66	Two 6-Gallon Kettles, Direct Steam	630/286	\$50,736
	36DMK1010	Two 10-Gallon Kettles, Direct Steam	630/286	\$56,157
	24GM200	200M BTU Gas 15-PSI Boiler Base	465/210	\$38,452
	36GM300	300M BTU Gas 15-PSI Boiler Base	520/235	\$47,028
24EM24	24 Kw Electric 15-PSI Boiler Base	390/176	\$31,947	
OPTIONS				
	FF	Level Adjustable Flanged Feet For Floor Bolting Standard		\$0
	36KW	36Kw Option For Electric Boilers		\$2,195
	48KW	48 Kw Option For Electric Boilers		\$4,483
	VOS1	208 Or 240 Volt 3 Phase (Electric Models Only)		\$0
	VOS22	440-480 Volt, 60 Hz, 3 Phase (Electric Models Only)		\$1,218
	LPG	LP Gas Option (Gas Models)		\$0
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0
	COMMON ACCESSORIES (FOR DETAILED ACCESSORIES SEE PAGE 12)			
	GPTO	Power Take Off Kit For Gas Boilers - (40946)		\$1,045
	EPTO	Power Take Off Kit For Electric Boilers (40947)		\$1,036
	IMK6	6 Foot Long Kettle Interconnect Kit (409351)		\$896
	IMK10	10 Foot Long Kettle Interconnect Kit (409355)		\$1,238
	IMK15	15 Foot Long Kettle Interconnect Kit (409358)		\$1,560
	DISSOLVE	Descaling Solution 6 - One Gallon Containers (106174)		\$724
	BDPK	Boiler Descaling Pump Kit - 15 PSI Boilers (107142)		\$1,998
	QDC60	5 Foot 3/4" Long Gas Quick Disconnect Hose, Gas Models Only 24CGM200, 36CGM300 Models (P/N 1007841)		\$1,804
WATER FILTERS				
	WBT-QT11-CR	Optipure Water Filter	12/6	\$1,142
	QTSX-2PG	High Hardness Optipure Water Filter	12/6	\$1,267
	OP350/50	Reverse Osmosis Filter, 350 Gal. Day, 50 Gallon Storage Tank (For 24 Kw Boilers Only)	25/12	\$11,444
	WBT-BWS1500/50	Reverse Osmosis Filter, 1,500 Gal. Day, 50 Gallon Storage Tank (200M, 300M BTU Boilers)	25/12	\$19,651
	1150360	Water Quality Test Kit		\$67




INSTALLATION PROGRAM — WATER FILTERS

STEAMERS






Installation Program For Steamers: Factory Authorized Servicer (FAS) Will Arrange And Oversee The Complete Installation And Start Up Process To Ensure Proper Operation. See Installation Program Policy Document For Program Details.
Installation Program Prices Are A Net Price - No Discounts

MODEL	DESCRIPTION	SHIP WT LBS/KGS	NET PRICE
INSTALLATION OF FIRST UNIT			
11000115896	Table Top Steamers: 22CET3/6.1, 22CGT3/6.1, 21CET8, 21CET16, 21CGA5		\$1,815
11000115898	Floor Model Steamers: 24CGA10, 24CEA10, 24CGA10.2, 24CGA6.2S		\$2,887
11000115900	Floor Model Steamer: 24CGP10		\$3,652
INSTALLATION OF SECOND UNIT			
11000115897	Table Top Steamers: 22CET3/6.1, 22CGT3/6.1, 21CET8, 21CET16, 21CGA5		\$981
11000115899	Floor Model Steamers: 24CGA10, 24CEA10, 24CGA10.2, 24CGA6.2S		\$1,851
11000115901	Floor Model Steamer: 24CGP10		\$3,086
ADDITIONAL INSTALLATION PROGRAM SERVICES			
11000115898	Pre Installation Site Survey (Required)		\$311
11000115837	Water Filter Installation - Standard System, Only Filters Include Models In Price List		\$274
11000116002	Disposal Of Old Equipment		\$392
INSTALLATION KITS			
INSTKITCET1	Installation Kit, Electric Steamers 22CET3/6, 21CET8, 208-240 Volt Series		\$1,201
INSTKITCET2	Installation Kit, Electric Steamers 22CET3/6, 21CET8/16, 480 Volt Series		\$1,054
INSTKITCET3	Installation Kit, Electric Steamers 21CET16, 208, 220, 240 Volt Series		\$1,078
INSTKITCET4	Installation Kit, Electric Steamers 24CEA10 208, 240, 480 Volt Series		\$1,391
INSTKITCGA5	Installation Kit, Gas Steamers 21CGA5, 22CGT3/6 Series		\$1,376
INSTKITCGA6	Installation Kit, Gas Steamers 24CGA, 24CGP Series		\$1,516

WATER FILTERS

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
STANDARD FILTERS				
	WBT-QT11-CR	Optipure Water Filter #160-52081 (QT11+CR)	12/6	\$1,142
	CTO-Q10	Replacement Cartridge #300-05828 (1 Required)		\$213
	CTOS-QCR	Replacement Cartridge #300-05831 (1 Required)		\$322
	1150360	H2O Water Quality Test Kit		\$67
HIGH HARDNESS WATER FILTERS (+170 PPM)				
	QTSX-2PG	Optipure Water Filter #160-52822	12/6	\$1,267
	CTO-Q	Replacement Cartridge #300-05830 (1 Required)		\$162
	SCLX2-Q	Replacement Cartridge (1 Required)		\$359
	1150360	H2O Water Quality Test Kit		\$67
REVERSE OSMOSIS FILTERS				
	OP350/50	350 Gallon Per Day R.O. Filter With 50 Gallon Storage Tank	25/12	\$11,444
	CTO-Q	Replacement Cartridge (300-05830) 2 Required		\$162
	AMS-QT	Replacement Cartridge (204-53040) 1 Required		\$1,516
	MA-Q15	Replacement Cartridge (300-95855) 1 Required		\$255
	BWS1500/50	1500 Gallon Per Day R.O. Filter With 50 Gallon Storage Tank		\$21,027
	CTO-Q	Replacement Cartridge (300-05830) 3 Required		\$162
	MA-Q15	Replacement Cartridge (300-95855) 1 Required		\$255

ALL STEAMER ACCESSORIES

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
DESCALING SOLUTION, PUMP KITS					
	DISSOLVE	(P/N106174) Dissolve Descaling Solution, 6 One Gallon Containers		\$724	
	BDPK	(P/N 107142) Boiler Descaling Pump Kit For 15 PSI Boilers		\$1,998	
	BDPK1	(P/N 1071421) Boiler Descaling Pump Kit For Generators		\$1,998	
POWER TAKE OFF KITS					
	GPTO	(P/N 40946) Power Take Off Kit, Gas Boiler Base Classic Line Steamers and Boiler Bases		\$1,045	
	EPTO	(P/N 40947) Electric Power Take Off Kit, Classic Line Steamers and Boiler Bases		\$1,036	
	GPTO10	(P/N 107082) Power Take Off Kit, SteamCraft Power 10		\$1,046	
	IMK6	(P/N 409351) 6" Long Kettle Interconnecting Kit		\$896	
	IMK10	(P/N 409355) 10" Long Kettle Interconnecting Kit		\$1,238	
	IMK15	(P/N 409358) 15" Long Kettle Interconnecting Kit		\$1,560	
DRAIN COOLING KITS					
	SMDCK	(P/N Fk104658) Drain Cooling Kit For Counter Top Steamers, (Steamcraft Only)		\$625	
	LGDCK	(P/N 106290) Large Drain Cooling Kit For Floor Model Steamers		\$1,300	
HEAT SHIELDS					
	113716	Heat Shield 10 Pan Steamers Models 24CGA10, 24CEA10 (P/N 113716)		\$2,621	
	113717	Heat Shield 10 Pan Steamers Models 24CGA10.2 (P/N 113717)		\$2,621	
	1114941	Heat Shield 3 Pan Steamchef, Add 4" To Right Side (P/N 1114941)		\$1,658	
GAS CONVERSION KITS					
	114768	Natural To LP Conversion Kit, 22CGT3.1/6.1, 2,000 Ft Elevation, UL Certified		\$794	
	114772	Natural To LP Conversion Kit, 21CGA5, 2,000 Ft Elevation, UL Certified		\$794	
	114594	Natural To LP Conversion Kit, 24CGA6.2, 24CGA6.2ES, 24CGA10.2ES, (P/N 114594)		\$794	
	114596	Natural To LP Conversion Kit, 24CGA10.2, 2,000 Ft Elevation, UL Certified		\$794	
	114774	Natural To LP Conversion Kit,, 24CGA10, 2,000 Ft Elevation, Certified		\$794	
	114776	Natural To LP Conversion Kit, 24CGP10, 2,000 Ft Elevation, UL Certified		\$794	
	114780	Natural To LP Conversion Kit, 300M BTU Boiler Base		\$794	
	114767	LP To Natural Conversion Kit 22CGT3.1/6.1, 2,000 Ft Elevation, UL Certified		\$794	
	114771	LP To Natural Conversion Kit, 21CGA5, 2,000 Ft Elevation, UL Certified		\$794	
	114775	LP To Natural Conversion Kit, 24CGP10, 2,000 Ft Elevation, UL Certified		\$794	
	114593	LP To Natural Conversion Kit, 24CGA6.2, 24CGA10.2ES, 24CGA6.2ES,		\$794	
	114595	LP To Natural Conversion Kit , 24CGA10.2, 2,000 Ft Elevation, UL Certified		\$794	
	114773	LP To Natural Conversion Kit, 24CGA10, 2,000 Ft Elevation, UL Certified		\$794	
	MISCELLANEOUS				
	QDC60	5 Foot long 3/4" Long Gas Quick Disconnect Hose, Gas Models Only 24CGM200, 36CGM300 Models (P/N 1007841)			\$1,804
MS	Moisture Separator Trap (P/N 19020)			\$1,398	
PRV	Pressure Reducing Valve			\$2,275	
TRF	Step Down Transformer (P/N 107040)			\$1,393	
SPH1	Single Phase Field Conversion Kit 21CET8 (P/N 104393)			\$2,105	
PR	Additional Pan Rack Guide For 3 Pan Steamer (P/N 41423)			\$1,027	
414232	Pan Pack set for 5 pan steamer			\$1,027	
110832	Pan Rack for 6 Pan Steamer			\$1,027	
PP25	2.5" 12" X 20" Perforated Pan (P/N 16868)			\$588	
PP4	4" X 12" X 20" Perforated Pan (P/N 16854)			\$685	
SP25	2.5" X 12" X 20" Solid Pan (P/N 16869)			\$551	
SPW	Single Point Water Connection, Garden Hose Style			\$441	
NHT60	5 Foot Garden Hose Style Water Connection Kit (P/N 11009999)			\$446	
LF4	4" Adjustable Legs Standard (P/N 2501018) Price Each			\$56	
LF41	4" Legs For Counter Top Steamers (1 Ea) 21CGA5 (P/N 2501018)			\$56	
LF42	4" For Counter Top Steamers (1 Ea) Steamcraft 21CET8 (Black) (P/N 1014501)			\$56	
LF43	4" Legs For Counter Top Steamers (1 Ea) Steamchef (P/N 1110021)			\$56	
LF6	6" Legs For Counter Top Steamers (1 Ea) SteamCub (P/N 115328)			\$56	
105994	Additional Pan Rack set for pressure steamers, 1 set per compartment			\$845	
POSK	Pull out Shelves for Pressure Steamers, 1 set each compartment			\$1,052	

KETTLES, COUNTER TOP, ELECTRIC

COUNTER TOP ELECTRIC KETTLES

Cleveland Self Contained Counter Top Kettles, Electric Models Standard 208 - 240 Volt, 3 Phase (Field Convertible To 1 Phase), 50 PSI Steam Jacket Rating, Solid state temperature control, 316 Stainless Steel Interior, IPX6 Water Rated, 2/3 Steam Jacket, Built In Diagnostics, Reinforced Rolled Rim, Marine Style Self Locking Safety Latch, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
ELECTRIC MODELS				
	KET3T	3 Gallon (11 Liter) Electric Tilting With Standard Controls	95/43	\$15,131
	KET6T	6 Gallon (23 Liter) Electric, Tilting With Standard Controls	160/73	\$16,895
	KET6TGB	6 Gallon (23 Liter) Electric, Gear Box Style Tilting With Standard Controls	170/77	\$21,932
	KET12T	12 Gallon (45 Liter) Electric, Tilting with Standard Controls	180/82	\$20,444
	KET12TGB	12 Gallon (45 Liter) Electric Gear Box Style Tilting With Standard Controls	190/86	\$23,693
	KET20T	20 Gallon (90 Liter) Electric, Tilting (Floor Model) With Standard Controls	260/118	\$32,550
	KE003874	Field Installed Drain Drawer (For KET20T only)		\$1,090
	TKET3T	Twin 3 (11 Liter Ea) Gallon Electric, Tilting With Standard Controls	135/60	\$33,685
	TKET6T	Twin 6 (23 Liter Ea) Gallon Electric, Tilting With Standard Controls	226/103	\$40,485
	TKET12T	Twin 12 (45 Liter Ea) Gallon Electric, Tilting With Standard Controls	315/143	\$51,040
EASYSIAL CONTROL OPTION				
EZD	EasyDial Control Option (Not Available On TKET'S)			\$2,222
TCP1	Core Temperature Probe, EasyDial Controls Only (Not Available On TKET'S)			\$1,461
ADDITIONAL OPTIONS				
ELEVATION	Specify Elevation If Over 3,000 Feet Electric Models			\$0
KM1G	Kettle Gallon Markings - 1 Gallon Increments (Use KM1L Liters Increments)			\$1,516
HW1	High Wattage Option (6,12, 20 KET Electric Models)			\$0
HW20	High Wattage Option (KET20T Electric Models)			\$0
VOK1	380 Or 415 Volt, 50 Hz, 3 Phase For Electric Export (N/A On KET3T)			\$1,416
VOK2	440/480 Volt, 60 Hz, 3 Phase (N/A On KET3T)			\$2,520
PCE	Protective Control Cover			\$674
CP-KTTT	Correctional Package For Counter Top Electric Kettles			\$2,085
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)				
 	CL3	Lift Off Cover With Build In Condensate Seal		\$1,023
	CL6	Lift Off Cover With Build In Condensate Seal		\$1,023
	CL12	Lift Off Cover With Build In Condensate Seal		\$1,327
	CL20	Lift Off Cover With Build In Condensate Seal		\$1,403
	DPKT	DPKT Double Pantry Faucet /Bracket		\$1,551
	SPKT	SPKT Single Pantry Faucet /Bracket		\$1,199
	KE003874	Field Installed Drain Drawer (For KET20T only)		\$1,090

ST SERIES EQUIPMENT STANDS

Heavy Stainless Steel Construction With 1-1/4" Square Tubing, Adjustable Feet, (Rear Flanged Feet For Bolting To Floor) Standard With Sliding Drain Drawer And Splash Screen, Can Be Hard Piped To Floor Drain, UL197, NSF-4 Certification



EST28G	28" Economy Equipment Stand, No Drain Drawer For Single Kettle	28/13	\$3,137
ST28G	28" Wide Equipment Stand W/ Drain Drawer And Splash Screen For Single Kettle	35/16	\$4,750
ST42G	42" Wide Equipment Stand W/ Drain Drawer And Splash Screen (TKET3T, TKET6T)	65/29	\$9,018
ST55G	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For (2) KET3T, KET6T, KET12T, SET10, SET15, KDT3, KDT6T, KDT12T)	70/32	\$9,708
ST55T	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For (1) TKET12T)	70/32	\$9,708
SG28	Large Flow Folding Splash Guard For ST28, ST55		\$550
SG42	Large Flow Folding Splash Guard For ST42 Equipment Stand		\$505

KETTLES, COUNTER TOP, GAS

COUNTER TOP GAS KETTLES

Cleveland Self Contained Counter Top Kettles, Gas Models Standard With 120 Volt With Cord & Plug, 50 PSI Steam Jacket Rating, 316 Stainless Steel Interior, 2/3 Steam Jacket, Built In Diagnostics, Reinforced Rolled Rim, Marine Style Self Locking Safety Latch, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
GAS MODELS				
	KGT6T	6 Gallon (23 Liter) Gas Tilting With Standard Controls	130/59	\$30,695
	KGT12T	12 Gallon (45 Liter) Gas Tilting With Standard Controls	190/86	\$36,481
	KGT12TGB	12 Gallon (45 Liter) Gas Gear Box Style Tilting With Standard Controls	215/98	\$40,456
EASYDIAL CONTROL OPTION				
	EZD	EasyDial Control Option		\$2,222
	ADDITIONAL OPTIONS			
	ELEVATION	Specify Elevation If Over 2,000 Feet Gas Models		\$0
	LPG	LP Gas Option (KGT Series)		\$0
	KM1G	Kettle Gallon Markings - 1 Gallon Increments (Use KM1L for Liter Increments))		\$1,516
	VOK1G	220 Volt, 50 Hz, 1 Phase (KGT Series For Export)		\$1,498
	PCE	Protective Control Cover		\$674
	CP-KTTT	Correctional Package For Counter Top Electric Kettles		\$2,085
	COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)			
	CL6	Lift Off Cover With Build In Condensate Seal		\$1,023
	CL12	Lift Off Cover With Build In Condensate Seal		\$1,327
	DPKT	DPKT Double Pantry Faucet /Bracket		\$1,551
	SPKT	SPKT Single Pantry Faucet /Bracket		\$1,199
	FS6GAS	Food Strainer For 6 Gallon Gas Kettle		\$853
	FS12GAS	Food Strainer For 12 Gallon Gas Kettle		\$853
	QDC60	5 Foot Long 3/4" Long Gas Quick Disconnect Hose (P/N 1007841)		\$1,804

ST SERIES EQUIPMENT STANDS






Heavy Stainless Steel Construction With 1-1/4' Square Tubing, Adjustable Feet, (Rear Flanged Feet For Bolting To Floor) Standard With Sliding Drain Drawer And Splash Screen, Can Be Hard Piped To Floor Drain, UL197, NSF-4 Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	EST28G	28" Economy Equipment Stand, No Drain Drawer For Single Kettle	28/13	\$3,137
	ST28G	28" Wide Equipment Stand W/ Drain Drawer And Splash Screen For Single Kettle	35/16	\$4,750
	ST42G	42" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For Two KGT6T)	65/29	\$9,018
	ST55G	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For Two KGT12T)	70/32	\$9,708
	SG28G	Large Flow Folding Splash Guard For ST28, ST55		\$550
	SG42G	Large Flow Folding Splash Guard For ST42 Equipment Stand		\$505

GAS FLOOR MODEL — STATIONARY

KETTLES, GAS FLOOR MODEL — STATIONARY

Cleveland Self Contained Counter Top Kettles, Gas Models Standard With 120 Volt With Cord & Plug, 50 PSI Steam Jacket Rating, 316 Stainless Steel Interior, 2/3 Steam Jacket, Built In Diagnostics, Reinforced Rolled Rim, Marine Style Self Locking Safety Latch, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
STATIONARY MODELS - STANDARD WITH 2" TANGENT DRAW-OFF AND SPRING ASSIST COVER				
	KGL25	25 Gallon (95 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	320/144	\$41,830
	KGL40	40 Gallon (150 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	520/235	\$46,980
	KGL40SH	40 Gallon (150 Liter) Gas Kettle, Short Series Full Steam Jacket, 2" Tangent Draw-Off And Spring Assist Cover	520/235	\$48,567
	KGL60	60 Gallon (225 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	560/255	\$58,584
	KGL60SH	60 Gallon (225 Liter) Gas Kettle, Short Series Full Steam Jacket, 2" Tangent Draw-Off And Spring Assist Cover	560/255	\$63,583
	KGL80	80 Gallon (300 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	600/270	\$65,280
	KGL100	100 Gallon (375 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	620/280	\$79,070
	GAS MODELS STATIONARY OPTIONS			
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0
	LPG	LP Gas Option		\$0
	KM2G	Gallon Markings - 5 Gallon Increments (Use KM2L for Liter increments)		\$1,516
	HS0001	Front Mounted Removable Heat Deflector Shield		\$1,514
	VOK4	220 Volt, 60Hz, 1 Phase (KGL Series Only)		\$1,172
	VOK5	220 -240 Volt, 50 Hz, 1 Phase (For Export KGL Series Only)		\$3,607
	CP-STATKT	Prison Package For Stationary Kettles, Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard (See Page 50 for Details)		\$4,639
	CP-RB	Prison Package Bar Rim		\$3,600
TANGENT DRAW- OFF & PUMPABLE OPTIONS FOR STATIONARY GAS MODELS				
	2ACME	Acme Thread Added To 2" Tangent Draw-Off On Stationary Kettle (Special Order)		\$1,090
	TD3S	3" Tangent Draw-Off With Strainer Upgrade Add On Price		\$4,082
	TD3SA	3" Tangent Draw-Off With Acme Thread, For Pumping Capability		\$3,654
	BV3AC	3" Butterfly Valve With Acme Thread (Except KGL25T), For Pumping Capability		\$12,097
	FPVA3	3" Air Piston Valve For Pumping (KE003775-2) (Gas Models 60 Gallon And Larger) - For Pumping		\$15,328
	COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)			
	DPKS	DPKS Double Pantry Faucet		\$1,551
	SPKS	SPKS Single Pantry Faucet		\$1,199
	QDC60	5 Foot Long 3/4" Long Gas Quick Disconnect Hose (P/N 1007841)		\$1,804
ACCESSORIES (FOOD GRADE HOSES) 45 & 90 DEGREE ADAPTERS SEE PAGE 20				
	MFS-HO-3	3" Diameter Food Grade Hose, 3 Feet Long		\$7,599
	MFS-HO-6	3" Diameter Food Grade Hose, Two 3 Feet Long Hoses		\$10,287

KETTLES, GAS FLOOR MODEL — TILTING

SELF CONTAINED GAS KETTLES — TILTING


Cleveland Self Contained Tilting Floor Model Steam Jacketed Kettles, Gas Operated, Patented Forced Air "Double Pass" Self Contained Gas Steam Generator, 120 Volt With Cord & Plug, Solid State Temperature Control, 50 PSI Steam Jacket Rating, 316 Stainless Steel Kettle Interior, 2/3 Steam Jacketed, Built In Diagnostics, Reinforced Rolled Rim, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
TILTING MODELS STANDARD - (2" TANGENT DRAW-OFF AND SPRING ASSIST COVER IS OPTIONAL)				
	KGL25T	25 Gallon (95 Liter) Gas Tilting With Standard Controls	320/144	\$64,408
	KGL40T	40 Gallon (150 Liter) Gas Tilting With Standard Controls	520/235	\$70,922
	KGL40TSH	40 Gallon (150 Liter) Gas Tilting - Short Series 38" Rim Height With Standard Controls, Full Steam Jacket	520/235	\$80,148
	KGL60T	60 Gallon (225 Liter) Gas Tilting With Standard Controls	560/225	\$73,216
	KGL80T	80 Gallon (300 Liter) Gas Tilting With Standard Controls	600/270	\$89,894
	EASYDIAL CONTROL OPTIONS TILTING GAS MODELS			
	EZD	EasyDial Control Option - Tilting Models Only		\$2,222
	TCP1	Core Temperature Probe, EasyDial Controls Only		\$1,461
	GAS MODELS STATIONARY & TILTING ADDITIONAL OPTIONS			
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0
	LPG	LP Gas Option		\$0
	KM2G	Gallon Markings - 5 Gallon Increments (Use KM2L for Liter Increments)		\$1,516
	HS0001	Front Mounted Removable Heat Deflector Shield		\$1,818
	VOK4	220 Volt, 60Hz, 1 Phase (KGL Series Only)		\$1,172
	VOK5	220 -240 Volt, 50 Hz, 1 Phase (For Export KGL Series Only)		\$3,607
	CP-TILTCTD	Prison Package For Tilting Kettles With TD Valve: Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, Hasp Lock by Others (See Page 50 for Details)		\$6,486
	CP-TILTCT	Prison Package For Tilting Kettles With No TD Valve: Tamper Proof Spring Assist Cover with HASP, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, HASP Lock by Others (See Page 50 for Details)		\$3,814
	CP-RB	Prison Package Bar Rim		\$3,600
	TANGENT DRAW-OFF & PUMPABLE OPTIONS FOR TILTING GAS MODELS			
	TD2	2" Tangent Draw Off With Strainer		\$3,124
	TD2A	2" Tangent Draw Off With Acme Thread And Strainer For Pumping Capability		\$3,620
	TD3	3" Tangent Draw-Off With Strainer (60 Gallon And Larger Only)		\$9,602
	TD3A	3" Tangent Draw-Off Valve With Acme Thread, (60 Gallon And Larger) For Pumping Capability		\$12,097
	BV3A	3" Butterfly Valve With Acme Thread (Except KGL25T) For Pumping Capability		\$4,711
	FPVA3	3" Air Piston Valve For Pumping (KE003775-2) (Gas Models 60 Gallon And Larger) For Pumping		\$15,328
	SPRING ASSIST COVERS, TILTING MODELS			
	CHS25	25 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,120
	CHS40	40 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,800
	CHS40GTSH	40 Gallon Short Series Rotatable Spring Assist Cover With Built In Condensate Seal		\$4,374
	CHS60	60 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,954
	CHS80	80 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$4,457
	CHS100	100 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$8,429
	COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)			
	DPKT	DPKT Double Pantry Faucet and Bracket		\$1,551
	SPKT	SPKT Single Pantry Faucet and Bracket		\$1,199
	PCK	Self Leveling Pan Carrier (Tilting Models)		\$1,726
SPRING ASSIST COVERS, TILTING MODELS				
MFS-HO-3	3" Diameter Food Grade Hose, 3 Feet Long			\$7,599
MFS-HO-6	3" Diameter Food Grade Hose, Two 3 Feet Long Hoses			\$10,287

KETTLES, ELECTRIC FLOOR MODEL — STATIONARY

SELF CONTAINED ELECTRIC KETTLES — STATIONARY

Cleveland Self Contained Floor Model Stationary, Electric Standard 208 - 240 Volt, 3 Phase (Field Convertible To 1 Phase), 316 Stainless Steel Kettle Interior, Solid State Temperature Controls, IPX6 Water Rated, 50 PSI Steam Jacket Rating, 2/3 Steam Jacketed, Built In Diagnostics, Reinforced Rolled Rim, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
STATIONARY MODELS STANDARD WITH 2" TANGENT DRAW-OFF AND SPRING ASSIST COVER				
	KEL25	25 Gallon (95 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	210/95	\$37,138
	KEL30	30 Gallon (110 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	230/105	\$37,478
	KEL40	40 Gallon (150 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	280/127	\$38,253
	KEL40SH	40 Gallon (150 Liter) Electric Kettle, Short Series, Full Steam Jacket, 2" Tangent Draw-Off, Spring Assist Cover	280/127	\$45,711
	KEL60	60 Gallon (225 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	330/150	\$49,351
	KEL60SH	60 Gallon (225 Liter) Electric Kettle, Short Series, Full Steam Jacket, 2" Tangent Draw-Off, Spring Assist Cover	340/155	\$60,077
	KEL80	80 Gallon (300 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	385/175	\$63,225
	KEL100	100 Gallon (375 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	415/195	\$72,612
ELECTRIC MODEL STATIONARY ADDITIONAL OPTIONS				
ELEVATION	Specify Elevation If Over 3,000 Feet For Electric Models			\$0
HW2	High Wattage Option (Floor Model Electric Models KEL Series)			\$3,462
VOK1	380 Or 415 Volt, 50 Hz, 3 Phase For KEL Electric Models - Export			\$1,416
VOK2	440/480 Volt, 60 Hz, 3 Phase For KEL Electric Models			\$2,520
KM2G	Gallon Markings - 5 Gallon Increments (Use KM2L for Liter Increments)			\$1,516
HS001	Front Mounted Removable Heat Deflector Shield			\$1,818
CP-STATKT	Prison Package For Stationary Kettles, Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard (See Page 50 for Details)			\$4,639
CP-RB	Prison Package Bar Rim			\$3,600
TANGENT DRAW- OFF & PUMPABLE OPTIONS FOR STATIONARY MODELS (FOR USE WITH FOOD PUMP)				
2ACME	Acme Thread Added To 2" Tangent Draw-Off On Stationary Kettle (Special Order)			\$1,090
TD3S	3" Tangent Draw-Off With Strainer Upgrade/Add On Price (60 Gallon And Larger Only)			\$4,082
TD3SA	3" Tangent Draw-Off With Acme Thread Upgrade, Add On Price (60 Gallon And Larger Only)			\$3,654
FOOD HOSE KITS (ALL MODELS) 45 & 90 DEGREE ELBOWS SEE PAGE 20				
MFS-HO-3	3" Diameter Food Grade Hose, 3 Feet Long			\$7,599
MFS-HO-6	3" Diameter Food Grade Hose, Two 3 Feet Long Hoses			\$10,287
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)				
DPKS	DPKS Double Pantry Faucet			\$1,551
SPKS	SPKS Single Pantry Faucet			\$1,199



KETTLES, ELECTRIC FLOOR — TILTING

SELF CONTAINED ELECTRIC KETTLES — TILTING


Cleveland Self Contained Floor Model Tilting Kettles, Electric Standard 208 - 240 Volt, 3 Phase (Field Convertible To 1 Phase), 316 Stainless Steel Kettle Interior, 50 PSI Steam Jacket Rating, 2/3 Steam Jacketed, Solid State Temperature Controls, IPX6 Water Rated, Built In Diagnostics, Reinforced Rolled Rim, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
TILTING MODELS (2" TANGENT DRAW-OFF AND SPRING ASSIST COVER IS OPTIONAL)					
	KEL25T	25 (95 Liter) Gallon Electric Tilting With Standard Controls	290/132	\$49,838	
	KEL40T	40 (150 Liter) Gallon Electric Tilting With Standard Controls	360/163	\$53,286	
	KEL40TSH	40 Gallon (150 Liter) Electric Tilting - Short Series 35" Rim Height With Standard Controls, Full Steam Jacket, No TD3	360/163	\$55,253	
	KEL60T	60 Gallon (225 Liter) Electric Tilting With Standard Controls	415/188	\$60,946	
	KEL60TSH	60 Gallon (225 Liter) Electric Tilting - Short Series 35" Rim Height With Standard Controls, Full Steam Jacket.	415/188	\$78,249	
	KEL80T	80 Gallon (300 Liter) Electric Tilting With Standard Controls	470/213	\$70,325	
	KEL100T	100 Gallon (375 Liter) Electric Tilting With Standard Controls	520/235	\$83,738	
	EASYDIAL CONTROL OPTIONS TILTING MODELS ONLY				
	EZD	EasyDial Control Option - Tilting Models Only		\$2,222	
	TCP1	Core Temperature Probe, EasyDial Controls Only		\$1,461	
ELECTRIC TILTING MODELS ADDITIONAL OPTIONS					
	ELEVATION	Specify Elevation If Over 3,000 Feet		\$0	
	HW2	High Wattage Option (Floor Model Electric Models KEL Series)		\$3,462	
	VOK1	380 Or 415 Volt, 50 Hz, 3 Phase For KEL Electric Models - Export		\$1,416	
	VOK2	440/480 Volt, 60 Hz, 3 Phase For KEL Electric Models		\$2,520	
	KM2G	Gallon Markings - 5 Gallon Increments (Use KM2L for Liter Increments)		\$1,516	
	HS001	Front Mounted Removable Heat Deflector Shield		\$1,818	
	CP-TILTCTD	Prison Package For Tilting Kettles With TD Valve: Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, Hasp Lock by Others (See Page 50 for Details)		\$6,486	
	CP-TILTCTK	Prison Package For Tilting Kettles With No TD Valve: Tamper Proof Spring Assist Cover with HASP, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, HASP Lock by Others (See Page 50 for Details)		\$3,814	
	CP-RB	Prison Package Bar Rim		\$3,600	
	TANGENT DRAW-OFF AND PUMPABLE OPTIONS FOR TILTING ELECTRIC MODELS				
	TD2	2" Tangent Draw Off With Strainer, Not Available In Short Series		\$3,124	
	TD3	3" Tangent Draw-Off With Strainer (60 Gallon And Larger Only)		\$9,602	
	TD2A	2" Tangent Draw Off With Acme Thread And Strainer For Pumping (Special Order)		\$3,620	
	TD3A	3" Tangent Draw-Off Valve With Acme Thread, (60 Gallon And Larger) For Pumping		\$12,097	
ACCESSORIES (FOOD HOSE KIT) 45 & 90 DEGREE ELBOWS SEE PAGE 20					
	MFS-HO-3	3" Diameter Food Grade Hose, 3 Feet Long		\$7,599	
	MFS-HO-6	3" Diameter Food Grade Hose, Two 3 Feet Long Hoses		\$10,287	
	SPRING ASSIST COVERS, TILTING MODELS				
	CHS25	25 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,120	
	CHS40	40 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,800	
	CHS40ETSH	40 SH Series Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$4,088	
	CHS60	60 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,954	
	CHS60ETSH	60 SH Series Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$4,103	
	CHS80	80 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$4,457	
	CHS100	100 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$8,429	
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)					
	DPKT	DPKT Double Pantry Faucet & Bracket, Large 3/4" Spout		\$1,551	
	SPKT	SPKT Single Pantry Faucet & Bracket Large 3/4" Spout		\$1,199	
	PCK	Self Leveling Pan Carrier (Tilting Models)		\$1,726	

KETTLES, COUNTER TOP DIRECT STEAM & KETTLE COMBINATIONS ON 18" STANDS


COUNTER TOP KETTLES, DIRECT STEAM

Cleveland Self Direct Steam Counter Top Kettles, 50 PSI Steam Jacket Rating, 316 Stainless Steel Interior, 2/3 Steam Jacketed, 316 Stainless Steel Kettle Interior, Reinforced Rolled Rim, Right Hand Steam Control Valve, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	KDT1T	.5 Gallon (2 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	20/9	\$13,621
	KDT6T	6 Gallon (23 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	40/18	\$12,091
	KDT10T	10 Gallon (38 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	55/25	\$9,967
	KDT12T	12 Gallon (45 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	55/25	\$19,294
	KDT20T	20 Gallon (80 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	90/41	\$25,875
	ST28KDT12T	KDT12T, 12 Gallon Direct Steam Kettle mounted on ST28 Stand with using AK12-ST28 Adapter Kit		\$25,353
	COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE)			
SCK2	SCK2 - Steam Controls Kit (Steam Trap, Strainer, Check Valve)			\$2,276
CL1 (3,6)	Lift Off Cover With Built In Condensate Seal			\$993
CL12	Lift Off Cover With Built In Condensate Seal			\$1,327
CL20	Lift Off Cover With Built In Condensate Seal			\$1,403
ADAPTER TOPS FOR KDT SERIES, USED ON ST SERIES STANDS				
AK-12-ST28	Adapter Top For ST Stands, 12 Gallon Models, For Mounting To ST28 Stand			\$2,591
AK-20-ST28	Adapter Top For ST Stands, 20 Gallon Models, For Mounting To ST28 Stand			\$2,591
AK-3/3-ST42	Adapter Top For ST Stands, 3 Gallon Models, For Mounting To ST42 Stand			\$2,591
AK-3/6-ST42	Adapter Top For ST Stands, 6 Gallon Models For Mounting To ST42 Stand			\$2,591
AK-3-ST28	Adapter Top For ST Stands, 3 Gallon Models For Mounting To ST28 Stand			\$2,591
AK-6/12-ST42	Adapter Top For ST Stands, 6 and 12 Gallon Models For Mounting To ST42 Stand			\$2,591
AK-6/6-ST42	Adapter Top For ST Stands, (2) 6 Gallon Models For Mounting To ST42 Stand			\$2,591
AK-6-ST28	Adapter Top For ST Stands, 6 Gallon Models For Mounting To ST28 Stand			\$2,591
AK12-ST55	Adapter Top For ST Stands, (2) 12 Gallons Models For Mounting To ST55 Stand			\$2,157


ST SERIES EQUIPMENT STANDS

Heavy Stainless Steel Construction With 1-1/4' Square Tubing, Adjustable Feet, (Rear Flanged Feet For Bolting To Floor) Standard With Sliding Drain Drawer And Splash Screen, Can Be Hard Piped To Floor Drain, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	EST28G	28" Economy Equipment Stand, No Drain Drawer For Single Kettle	28/13	\$3,137
	ST28G	28" Wide Equipment Stand W/ Drain Drawer And Splash Screen For Single Kettle	35/16	\$4,750
	ST42G	42" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For Two KDT6T'S - Must order Adapter Top)	65/29	\$9,018
	ST55G	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For (2) KDT6T, KDT12T - Must order Adapter Top)	70/32	\$9,708
	SG28	Large Flow Folding Splash Guard For ST28, ST55		\$550
	SG42	Large Flow Folding Splash Guard For ST42 Equipment Stand		\$505

DIRECT STEAM KETTLES — 18" HIGH MODULAR STAND


Cleveland Direct Steam Modular Bases, 18" High Base With Full Width Drain Trough And Grate with Sliding Drain Pan (SDP1), 316 Stainless Steel Interior, Double Pantry Faucet, Splash Guard, Level Adjustable Flanged Feet, 316 Stainless Steel Standard, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	SD450K6	One 6-Gallon Kettle On 18" Wide Modular Base	40/64	\$30,663
	SD650K12	One 12-Gallon Kettle On 18" Wide Modular Base	160/73	\$35,206
	SD760K12	One 6-Gallon Kettle On 26" Wide Modular Base	175/79	\$36,743
	SD1050K66	Two 6-Gallon Kettles On 42" Wide Modular Base	210/95	\$46,588
	SD1200K612	One 6, One 12 Gallon Kettle On 48" Wide Modular Base	230/104	\$52,603
	SD1600K1212	One 6, One 20 Gallon Kettle On 63" Wide Modular Base	290/132	\$65,695
	SD1600K620	Two 12 Gallon Kettle On 63" Wide Modular Base	250/114	\$65,695
	SD1800K2020	Two 20 Gallon Kettles On 71" Wide Modular Base	340/154	\$79,826

KETTLES, DIRECT STEAM FLOOR MODEL — STATIONARY

DIRECT STEAM STATIONARY KETTLES

Cleveland Direct Steam Floor Model Stationary Kettles, 50 PSI Steam Jacket Rating, 316 Stainless Steel Kettle Interior, 2/3 Steam Jacketed, 2" Tangent Draw Off Valve, Rotatable Spring Assist Cover, Reinforced Rolled Rim, Steam Control Valve, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification




PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
TILTING MODELS (2" TANGENT DRAW-OFF AND SPRING ASSIST COVER IS OPTIONAL)				
	KDL25	25 Gallon (95 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	170/77	\$23,658
	KDL30F	30 Gallon (110 Liter) Direct Steam Tri-Leg, Full Steam Jacketed	135/61	\$31,130
	KDL40	40 Gallon (150 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	230/104	\$24,278
	KDL40SH	40 Gallon (150 Liter) Direct Steam Tri-Leg, Full Steam Jacketed Short Series, Full Steam Jacket	230/104	\$33,982
	KDL60	60 Gallon (225 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	260/150	\$29,181
	KDL60SH	60 Gallon (225 Liter) Direct Steam Tri-Leg, Full Steam Jacketed Short Series Full Steam Jacket	260/150	\$40,805
	KDL80	80 Gallon (300 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	290/130	\$34,739
	KDL80SH	80 Gal. (300 Liter) Direct Steam Tri-Leg, Full Steam Jacketed Short Series Full Steam Jacket	290/180	\$46,493
	KDL100	100 Gallon (375 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	350/150	\$46,922
	KDL100F	100 Gallon (375 Liter) Direct Steam Tri-Leg, Full Steam Jacketed	360/163	\$89,794
	KDL125	125 Gallon (475 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	410/170	\$59,727
	KDL125F	125 Gallon (475 Liter) Direct Steam Tri-Leg, Full Steam Jacketed	410/185	\$107,975
	KDL150	150 Gallon (575 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	490/196	\$66,300
	KDL200	200 Gallon (757 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	560/255	\$91,497
PUMPABLE OPTIONS (FOR USE WITH MSFS MODEL FOOD PUMP)				
BV3A	3" Butterfly Valve With Acme Thread (Except KGL25T), 90 Degree Elbow, 8' Long Food Grade Hose			\$12,097
OPTIONS				
CHS	Spring Assist Rotatable Cover With Built In Condensate Seal Standard			STD
TD2	2" Tangent Draw Off With Strainer			\$3,124
KM2G	Gallon Markings - 5 Gallon Increments (Use KM2L for Liter Increments)			\$1,516
HS001	Front Mounted Removable Heat Deflector Shield			\$1,818
CP-STATKT	Prison Package For Stationary Kettles, Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard (See Page 50 for Details)			\$4,639
CP-RB	Prison Package Bar Rim			\$3,600
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)				
DPKS	DPKT Double Pantry Faucet, Large 3/4" Spout			\$1,551
SPKS	SPKT Single Pantry Faucet, Large 3/4" Spout			\$1,199
SCK2	Steam Controls Kit (Steam Trap, Strainer, Check Valve)			\$2,276



KETTLES, FLOOR MODEL, DIRECT STEAM — TILTING





DIRECT STEAM KETTLES — TILTING

Cleveland Direct Steam Floor Model Tilting Kettles, 50 PSI Steam Jacket Rating, 2/3 Steam Jacketed, 316 Stainless Steel Kettle Interior, Reinforced Rolled Rim, Steam Control Valve, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	KDL25T	25 Gallon (95 Liter) Direct Steam Tilting, Steam Jacketed Tri-Leg Design	220/110	\$26,875
	KDL40T	40 Gallon (150 Liter) Direct Steam Tilting, Steam Jacketed Tri-Leg Design	275/125	\$28,287
	KDL40TSH	40 Gal. (150 Liter) Direct Steam Tilting, Full Steam Jacketed -Tri Leg Short Series 35"	230/104	\$40,346
	KDL60T	60 Gallon (225 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Tri-Leg Design	345/157	\$33,431
	KDL60TSH	60 Gal.(225 Liter) Direct Steam Tilting, Full Steam Jacketed -Short Series 35" Rim	260/150	\$47,905
	KDL80T	80 Gal. (300 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Quad Leg Design	415/188	\$37,941
	KDL80TSH	80 Gal. (300 Liter) Direct Steam Tilting, Full Steam Jacketed -Short Series 35" Rim	290/255	\$54,969
	KDL100T	100 Gallon (375 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Quad Leg Design	475/216	\$47,829
	KDL125T	125 Gal. (475 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Quad Leg Design	535/244	\$57,656
	KDL150T	150 Gal. (575 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Quad Leg Design	595/270	\$68,070
TANGENT DRAW-OFF OPTIONS				
	TD2	2" Tangent Draw Off Drain With Strainer		\$3,124
	TD3	3" Tangent Draw-Off With Strainer (60 Gallon And Larger Only, Not Available On KDM'S)		\$9,602
PUMPABLE OPTIONS (FOR USE WITH MFS MODEL FOOD PUMP)				
	BV3AC	3" Butterfly Valve With Acme Thread, 90 Degree Elbow, 8' Long Food Grade Hose (Special Order)		\$12,097
SPRING ASSIST COVER OPTIONS TILTING MODELS				
	CHS25	25 Gallon Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$3,120
	CHS40	40 Gallon Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$3,800
	CHS40DTSH	40 Gallon Short Series Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$4,088
	CHS60	60 Gallon Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$3,954
	CHS60DTSH	60 Gallon Short Series Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$4,103
	CHS80	80 Gallon Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$4,457
	CHS80DTSH	80 Gallon Short Series Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$4,457
	CHS100	100, 125, 150 Gal. Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$8,429
	OPTIONS			
	KM2G	KM2G Gallon Markings (Use KM2L for Liter Increments)		\$1,516
	HS001	Front Mounted Removable Heat Deflector Shield		\$1,818
	SCK2	Steam Controls Kit (Steam Trap, Strainer, Check Valve)		\$2,276
	CP-TILTCTD	Prison Package For Tilting Kettles With TD Valve: Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, Hasp Lock by Others (See Page 50 for Details)		\$6,486
	CP-TILTCT	Prison Package For Tilting Kettles With No TD Valve: Tamper Proof Spring Assist Cover with HASP, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, HASP Lock by Others (See Page 50 for Details)		\$3,814
	CP-RB	Heavy Duty Bar Rim		\$3,600
	COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE ALL KETTLE ACCESSORIES PAGE 22-24)			
	DPKT	DPKT Double Pantry Faucet & Bracket, Large 3/4" Spout		\$1,551
	SPKT	SPKT Single Pantry Faucet & Bracket Large 3/4" Spout		\$1,199
	PCK	Self Leveling Pan Carrier (Tilting Models)		\$1,726




ALL KETTLE ACCESSORIES

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
LIFT OFF COVERS — LID HOLDERS					
   	CL-1	1 Gallon Lift Off Cover		\$1,023	
	CL-3	3 Gallon Lift Off Cover with Built In Condensate Seal		\$1,023	
	CL-6	6 Gallon Lift Off Cover with Built In Condensate Seal		\$1,023	
	CL-12	12 Gallon Lift Off Cover with Built In Condensate Seal		\$1,327	
	CL-10	10 Gallon Lift Off Cover with Built In Condensate Seal		\$1,063	
	CL-20	20 Gallon Lift Off Cover with Built In Condensate Seal		\$1,403	
	CL-25	25 Gallon Lift Off Cover with Built In Condensate Seal		\$2,057	
	CL-40	40 Gallon Lift Off Cover with Built In Condensate Seal		\$2,433	
	CL-60	60 Gallon Lift Off Cover with Built In Condensate Seal		\$2,699	
	CL-80	80 Gallon Lift Off Cover with Built In Condensate Seal		\$3,094	
	CL-100	100 Gallon Lift Off Cover with Built In Condensate Seal		\$3,490	
	LCH-3	3 Gallon Lid Holder For KET3T (KE003927-3)		\$497	
	LCH-6	6 Gallon Lid Holder Lid Holder KET6T (KE003927-2)		\$497	
	LCH-12	12 Gallon Lid Holder KET12T (KE003927-1)		\$497	
	LCH-20	20 Gallon Lid Holder KET20T (KE003927-4)		\$497	
	LCH-6G	6 Gallon Lid Holder Lid Holder KGT6T (KE003980-2)		\$497	
	LCH-12G	12 Gallon Lid Holder Lid Holder KGT12T (KE003980-1)		\$497	
	FAUCETS				
	SPK1	Single Pantry Faucet (KDT12T, KDT20T SD Or ST Stand Mounted)		\$1,199	
DPK1	Double Pantry Faucet (KDT12T, KDT20T SD Or ST Stand Mounted)		\$1,551		
SPK2	Single Pantry Faucet And Bracket Kit (KDL/P60T, KDL/P80T, KDL/P100T, MKET12/20T)		\$1,199		
DPK2	Double Pantry Faucet And Bracket Kit (KDL/P60T, KDL/P80T, KDL/P100T, MKET12/20T)		\$1,551		
SPK3	Single Pantry Faucet And Bracket Kit (KDL/P25T, KDL/P40T)		\$1,199		
DPK3	Double Pantry Faucet And Bracket Kit (KDL/P25T, KDL/P40T)		\$1,551		
SPK5	Single Pantry Faucet (All Stationary Kettles Except HA-MKGL)		\$1,199		
DPK5	Double Pantry Faucet And Bracket Kit (All Stationary Kettles Except HA-MKGL)		\$1,551		
SPK6	Single Pantry Faucet (KDM25, KDM40T)		\$1,199		
DPK6	Double Pantry Faucet (KDM25, KDM40T)		\$1,551		
SPK7	Single Pantry Faucet And Bracket (KDL40, 60, 80Tsh ,ELI40,60TSH)		\$1,199		
DPK7	Double Pantry Faucet And Bracket Kit (KDL40, 60, 80TSH ,KEL40,60TSH)		\$1,551		
SPK8	Single Pantry Faucet And Bracket Kit (KDT6T SD Or ST Stand Mounted)		\$1,199		
DPK8	Double Pantry Faucet And Bracket Kit (KDT6T SD Or ST Stand Mounted)		\$1,551		
SPK10	Single Pantry Faucet And Bracket Kit(KDL100T, KDL125T)		\$1,199		
DPK10	Double Pantry Faucet And Bracket Kit (KDL100T, KDL125T)		\$1,551		
SPK11	Single Pantry Faucet And Bracket Kit (HAMKGL60T, 80T, 100-T)		\$1,258		
DPK11	Double Pantry Faucet And Bracket Kit (HAMKGL60T, 80T, 100-T)		\$1,551		
SPK17	Single Pantry Faucet And Bracket Kit (HAMKGL60, 80, 100)		\$1,258		
DPK17	Double Pantry Faucet And Bracket Kit (HAMKGL60, 80, 100)		\$1,551		
SPK18	Single Pantry Faucet And Bracket Kit (KDM60T)		\$1,258		
DPK18	Double Pantry Faucet And Bracket Kit (KDM60T)		\$1,551		
SPK27	Single Pantry Faucet And Bracket Kit (KET3T, 6T, 12T, TKET3T, 6T, 12T)		\$1,199		
DPK27	Double Pantry Faucet And Bracket Kit (KET3, 6, 12T, TKET3T, 6T, 12T)		\$1,551		
SPK20	Single Pantry Faucet And Bracket Kit (KEL40,60,80,100-T, KGT6T, 12-T)		\$1,199		
DPK20	Double Pantry Faucet And Bracket Kit (KEL40,60,80,100-T, KGT6, 12-T)		\$1,551		
SPK21	Single Pantry Faucet And Bracket Kit (KEL25T)		\$1,199		
DPK21	Double Pantry Faucet And Bracket Kit (KEL25T)		\$1,551		
SPK22	Single Pantry Faucet And Bracket Kit (KGL40,60,80-T, KGL40TSH)		\$1,199		
DPK22	Double Pantry Faucet And Bracket Kit (KGL40,60,80-T, KGL40TSH)		\$1,551		
SKFK	Single Pantry Kettle Filler (P/N 105978)		\$2,772		
DKFK	Double Pantry Kettle Filler (P/N 105979)		\$3,334		
PRSK	Pre-Rinse Spray Hose (P/N B-0113)		\$3,467		
KE54159	Faucet Bracket Kettles - This Is Item FBKT Not KE54159		\$498		

ALL KETTLE ACCESSORIES (CONTINUED)

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
PAN CARRIER, FOOD & DRAIN STRAINERS, COOKING BASKETS					
	PCK	Pan Carrier Kettles For Tilting Kettles		\$1,726	
	FD	Flow Diverter		\$3,601	
	DRAINPAN6	6" Deep 12" X 20" Stainless Steel Pan With Drain		\$1,135	
	SDP1	Sliding Drain Pan for SD Stands		\$1,141	
	DS-2	Perforated Drain Strainer, 2" Draw-Off, 3/16" Strainer Holes		\$843	
	DS-2S	Solid Drain Strainer, 2" Draw-Off, 3/16" Strainer Holes		\$843	
	DS-3	Perforated Drain Strainer, 3" Draw-Off, 3/16" Strainer Holes		\$843	
	DS-3S	Solid Drain Strainer, 3" Draw-Off, 3/16" Strainer Holes		\$843	
	MKDS-2/316A	Drain Strainer For Vertical Mixer Kettles 2" Draw-Off		\$775	
	MKDS-3/316A	Drain Strainer For Vertical Mixer Kettles 3" Draw-Off		\$775	
	SH-25	Drain Strainer Hook, 25 gallon (100 Liter) Kettle (PN KE51462)		\$730	
	SH-40	Drain Strainer Hook, 40 gallon (150 Liter) Kettle (PN KE51464)		\$730	
	SH-60	Drain Strainer Hook, 60 gallon (225 Liter) Kettle (PN KE51465)		\$730	
	SH-80	Drain Strainer Hook, 80 gallon (300 Liter) Kettle (PN KE51466)		\$730	
	SH-100	Drain Strainer Hook, 100 gallon (375 Liter) Kettle (PN KE51467)		\$730	
	SH-125	Drain Strainer Hook, 125 gallon (475 Liter) Kettle (PN KE51468)		\$730	
	SH-150	Drain Strainer Hook, 150 gallon (575 Liter) Kettle (PN KE51469)		\$730	
	FS-3	FS3 - 3 Gallon Food Strainer		\$853	
	FS-6	FS6 - 6 Gallon Food Strainer, Electric, Directs steam Models		\$853	
	FS-6GAS	FS6 - 6 Gallon Food Strainer, gas models		\$853	
	FS-12	FS12 - 12 Gallon Food Strainer, Electric, Direct Steam Models		\$853	
	FS-12GAS	FS12 - 12 Gallon Food Strainer, Gas models		\$853	
	FS-20	FS20 - 20 Gallon Food Strainer		\$853	
	FS-25	FS25 - 25 Gallon Food Strainer		\$853	
	FS-40	FS40 - 40 Gallon Food Strainer		\$2,446	
	FS-60	FS60 - 60 Gallon Food Strainer		\$2,446	
	FS-80	FS80 - 80 Gallon Food Strainer		\$6,106	
	FS-100	FS100 - 100 Gallon Food Strainer		\$6,106	
	FS-150	FS150 - 100 Gallon Food Strainer		\$6,106	
	FS-125	FS125 - 125 Gallon Food Strainer		\$6,106	
	FS-40SH	FS40SH - 40 Gallon Food Strainer SH Series		\$3,031	
	FS-60SH	FS60SH - 60 Gallon Food Strainer SH Series		\$3,031	
	FS-80SH	FS80SH - 80 Gallon Food Strainer SH Series		\$3,031	
	FS-40SHG	FS40SHG - 40 Gallon Food Strainer SH Series Gas Models		\$3,031	
	FS-60HA	FS60HA 60 Gallon Food Strainer For HA Series Mixers		\$3,028	
	FS-80HA	FS80HA 80 Gallon Food Strainer For HA Series Mixers		\$6,106	
	FS-100HA	FS100HA 100 Gallon Food Strainer For HA Series Mixers		\$6,106	
	BS-3	3 Gallon Basket		\$1,864	
	BS-6	6 Gallon Basket		\$1,967	
	BS-12	12 Gallon Basket		\$2,481	
	TBS-20	Tri Basket System 20 Gallon Models (Includes Three BS-3'S)		\$6,268	
	TBS-25	Tri Basket System 25 Gallon Models (Includes Three BS-3'S)		\$6,646	
	TBS-40	Tri Basket System 40 Gallon Models (Includes Three BS-6'S)		\$6,707	
	TBS-60	Tri Basket System 60 Gallon Models (Includes Three BS-6'S)		\$8,226	
	TBS-80	Tri Basket System 80 Gallon Models (Includes Three BS-6'S)		\$8,226	
	TBS-100	Tri Basket System 100 Gallon Models (Includes Three BS-12'S)		\$8,226	
	TBS-40SH	Tri Basket System 40 Gallon Models SH Series (Includes Three BS-6'S)		\$8,226	
	TBS-60SHGAS	Tri Basket System 60 Gallon Models SH Series Gas (Includes Three BS-6'S)		\$8,226	
	TBS-80SH	Tri Basket System 80 Gallon Models SH Series (Includes Three BS-6'S)		\$8,226	
	KETTLE ACCESSORY KIT				
	KAK	Kettle Accessory Kit (P/N 40880) Includes All Items Below		\$3,143	
	KBK	Kettle Brush Kit (P/N 408802)		\$1,135	
	CB	Clean Up Brush (P/N 00856)		\$291	
	KP	Kettle Paddle (P/N 102405)		\$519	
	KW	Kettle Whip (P/N 00961)		\$1,042	
	KB	Kettle Brush (P/N 00853)		\$487	
	DB	Draw-Off Brush (P/N 00852)		\$292	
	KL	Kettle Ladle (P/N 00904)		\$839	
					

ALL KETTLE ACCESSORIES (CONTINUED)

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
MEASURING STRIPS					
 <p>MS</p>	MS-6	6 Gallon Measuring Strip		\$1,004	
	MS-12	12 Gallon Measuring Strip		\$1,004	
	MS-20	20 Gallon Measuring Strip		\$1,004	
	MS-25	25 Gallon Measuring Strip		\$1,004	
	MS-40	40 Gallon Measuring Strip		\$1,004	
	MS-60	60 Gallon Measuring Strip		\$1,004	
	MS-80	80 Gallon Measuring Strip		\$1,004	
	MS-100	100 Gallon Measuring Strip		\$1,004	
	MISCELLANEOUS				
		SCK-1	Steam Control Kit - Direct Steam Stationary Kettle (Steam Trap, Strainer, Check Valve)		\$2,276
SCK-2		Steam Control Kit - Direct Steam Tilting Kettle, (Steam Trap, Strainer, Check Valve)		\$2,276	
SCK-3		Steam Control Kit - Direct Steam 200 Gallons (Steam Trap, Strainer, Check Valve)		\$2,276	
	SF-3	Swing Drain Funnel For Tilting Kettles (KE003891-1, Floor Mounted)		\$1,580	
	SF-4	Swing Drain Funnel For Stationary Kettles. (KE003891-2, Kettle Mounted)		\$1,580	
	TD-DC	Drain Cup With Hose, For Use With Tangent Draw-Off		\$1,383	
	ELK	Leg Extensions		\$1,894	
	TD2A-45	45 Degree Elbow with 8 Foot Hose To Be Used For 2" Tangent With Acme Thread		\$632	
	TD2A-90	90 Degree Elbow with 8 Foot Hose To Be Used For 2" Tangent With Acme Thread		\$655	
	TD3A-45	45 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$1,117	
	TD3A-90	90 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$1,248	
	KE55336-1	90 Degree Reducer, 3" Acme Tread To 2" Sani Clamp (Tri-Clover) Reducer		\$3,065	
	KE55336-2	90 Degree Reducer, 3" Sani Clamp To 2" Sani Clamp (Tri-Clover) Reducer		\$4,082	
	KE55336-3	45 Degree Reducer, 3" Sani Clamp To 2" Sani Clamp (Tri-Clover) Reducer		\$3,419	
	KE55336-4	90 Degree Elbow, 2" Sani Clamp To 2" Sani Clamp (Tri-Clover) Reducer		\$1,355	
	KE55336-5	45 Degree Elbow, 2" Sani Clamp To 2" Sani Clamp (Tri-Clover) Reducer		\$1,217	
	KE55336-6	90 Degree Elbow, 3" Acme Thread To 3" Sani Clamp (Tri-Clover)		\$1,964	
	KE003716-1	KGT6T Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,674	
	KE003716-2	KGT12T Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,674	
	KE003716-3	KGL25T Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,674	
	KE003716-4	KGL60T & Up Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,674	
	KE003716-5	KGL40T Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,674	
LARGE PASTA BASKETS AND DOLLY'S					
	PBD-40	Dolly For 40 Gallon Pasta Basket		\$14,190	
	PBD-40SH	Dolly For 40 Gallon Pasta Basket Short Series		\$14,440	
	PBD-60	Dolly For 60 Gallon Pasta Basket		\$15,046	
	PBD-80	Pasta Dolly For 80 Gallon Pasta Basket		\$15,189	
	PBD-100	Pasta Dolly For 100 Gallon Pasta Basket		\$16,900	
	PBD-200	Pasta Dolly For 200 Gallon Pasta Basket		\$18,112	
	PBK-40	40 Gallon Pasta Basket		\$42,001	
	PBK-40SH	40 Gallon Pasta Basket Short Series		\$44,924	
	PBK-60	60 Gallon Pasta Basket		\$46,351	
	PBK-80	80 Gallon Pasta Basket		\$47,777	
	PBK-100	100 Gallon Pasta Basket		\$49,203	
	PBK-200	200 Gallon Pasta Basket		\$73,448	
WATER METER, WATER COOLING					
	AWC1	Automatic Water Cooling For Direct Steam Kettles (P/N AWC1120/60)		\$12,685	
	GMC1/LMC1	Water Meter (P/N WM0001)		\$0	
	SWM	Stand For Water Meter		\$1,825	

MIXER KETTLES, DIRECT STEAM, VERTICAL SWEEP & FOLD SERIES

STEAM JACKETED MIXER KETTLES

Cleveland Direct Steam Counter Top Mixer Kettle: 2/3 Steam Jacketed, 50 PSI, Two Piece Hinged Cover With Safety Screen, 316 Stainless Steel, Gallon Markings On Mixer Shaft (2 Gal./5 L marks for 12 gal model, 5 Gal, 10 L marks for 20 gal model), Steam Control Valve, Right Side, 115 Voltage Standard, Level Adjustable Legs with Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification



PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	MKDT12T	12 Gallon (45 Liter) Floor Model Direct Steam Mixer Kettle, Lever Style Hand Tilt	370/186	\$55,923
	MKDT20T	20 Gallon (80 Liter) Floor Model Direct Steam Mixer Kettle Lever Style Hand Tilt	410/186	\$76,796
OPTIONS				
	SLD20	Sliding Drain Drawer With Splash Screen		\$3,027
	240V	208 or 240 Volt Option		\$0
	STM	Steam Valve Left Side Location (Right Side Standard)		\$0
	SCK2	Steam Control Kit (Steam Trap, Strainer and Check Valve)		\$2,276

STEAM JACKETED MIXER KETTLES

Cleveland Floor Model Direct Steam Mixer Kettles, 3" Butterfly Valve With Acme Thread, Built In Two Piece Hinged Cover With Built In Safety Screen, 50 PSI Steam Jacket Rating, Variable Speed Agitator With 0-70 RPM Scraper Blade, 0-210 RPM Secondary Agitator, 208-240 Volt - 3/4 Horse Power Belt Drive, Gallon or Liter Markings On Mixer Shaft (10 Gallon/40 Liter Increments), DPK Double Pantry Faucet, Manual Hand Tilt, 316 Stainless Steel Liner, Certified to Applicable UL, CSA and NSF Standards, CE Certification



PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	MKDL40T	40 Gallon (150 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	700/315	\$178,338
	MKDL60T	60 Gallon (225 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	740/333	\$184,018
	MKDL80T	80 Gallon (300 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	830/373	\$189,239
	MKDL100T	100 Gallon (375 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	910/409	\$209,744
	MKDL125T	125 Gallon (475 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1000/450	\$210,927
	MKDL150T	150 Gallon (575 Liter) Floor Model Direct Steam Mixer Kettle Power Tilt Std	1100/495	\$212,622
	TMKDL40T	Twin 40 Gallon (150 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1360/612	\$307,103
	TMKDL60T	Twin 60 Gallon (225 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1610/730	\$305,478
	TMKDL80T	Twin 80 Gallon (300 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1700/771	\$312,583
	TMKDL100T	Twin 100 Gallon (375 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1800/817	\$350,442
	TMKDL125T	Twin 125 Gallon (475 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1890/857	\$361,842
	TMKDL150T	Twin 150 Gallon (575 Liter Ea) Floor Model Direct Steam Mixer Kettle Power Tilt Std	1990/903	\$366,465

OPTIONS & ACCESSORIES (MKDL, TMKDL) TWIN MIXER (ADD OPTION PRICE 2X)



VOK1	380 Or 415 Volt, 50 Hz, 3 Phase For Electric Export		\$1,416
VOK2	440/480 Volt, 60 Hz, 3 Phase		\$2,520
PT3	Power Tilt (Standard On 150 Gallon Model Only)		\$10,698
FBV2	2" Flush Bottom Ball Style Valve		CALL
FPVA3	3" Air Operated Flush Piston Valve (KE003775-2) (Requires Air Compressor) For Pumping		\$15,328
TD3A45	45 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$1,117
TD3A90	90 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$1,248
HS001	Front Mounted Removable Heat Deflector Shield		\$1,818
SCK2	Steam Controls Kit (Trap, Strainer, Check Valve)		\$2,276
MKDS2/316A	2" Mixer Drain Strainer 1/4" Holes		\$775
MKDS3/316A	3" Mixer Drain Strainer 1/4" Holes		\$775
CP-MKDL	Correctional Package -MKDL, TMKDL Mixer Kettles (Prison Screws And Screw Driver, Switch Guard, TD Valve Strap, Pressure Gauge Guard, Prison Control Cover)		\$4,890

CONTROL OPTIONS (MKDL, TMKDL)



GMC1/LMC1	Automatic Water Meter, Built Into Console Mounted (Specify Gallons Or Liters) Used With 3/4" Filler Hose, Replaces DPK Double Pantry Faucet		\$0
AWC1	Automatic Water Cooling, Built Into Console (Direct Steam Kettles Only)		\$12,685
EZD-DTCI	easyDial Digital Time and Temperature Control & Indicator with Data Logger and USB Port		\$17,377

ACCESSORIES (SEE ALL KETTLE ACCESSORIES PAGE 22-24)

MIXER KETTLES, ELECTRIC, VERTICAL SWEEP & FOLD SERIES

STEAM JACKETED MIXER KETTLES

Cleveland Counter Top Electric Mixer Kettles: 208-240 V, 3 PH Standard, Solid State Temperature Controls, Built In Two Piece Hinged Cover With Built In Safety Screen, 50 PSI Steam Jacket Rating, Variable Speed Agitator With 0-70 RPM Scraper Blade, 0-210 RPM Secondary Agitator, 3/4 Horsepower Belt Drive, Gallon or Liter Markings On Mixer Shaft (2 Gal/5 L marks for 12 gal model, 5 Gal/10 L marks for 20 gal model), Low Water LED Indicator Light, Manual Lever Hand Tilt, 316 Stainless Steel Liner Standard, Certified to Applicable UL, CSA and NSF Standards, CE Certification



PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	MKET12T	12 Gallon (45 Liter) Floor Model Electric Mixer Kettle Lever Style Hand Tilt	340/153	\$63,797
	MKET20T	20 Gallon (80 Liter) Floor Model Electric Mixer Kettle Lever Style Hand Tilt	340/153	\$88,711
OPTIONS				
ELEVATION	Specify Elevation If Above 3,000 Feet			\$0
VOK1	380 or 415 Volt, 50 Hz, 3 Phase For Electric Export			\$1,416
VOK2	440 or 480 Volt, 60 Hz, 3 Phase			\$2,520
HW1	High Wattage Standard On MKET Mixer Kettles			\$0
SLD20	Sliding Drain Drawer with Splash Screen			\$3,027
PCE	Protective Control Cover			\$674
CP-MKET	Correctional Packages, MKET (Control Cover, Prison Screws, Prison Screw Driver, Pressure Gauge Guard)			\$2,014

ELECTRIC SWEEP & FOLD VERTICAL STEAM JACKETED MIXER KETTLES

Cleveland Floor Model Electric Mixer Kettles, Solid State Temperature Controls, 2" Tangent Draw-Off, Two Piece Hinged Cover With Built In Safety Screen, 50 PSI Steam Jacket Rating, Variable Speed Agitator With 0-70 RPM Scraper Blade, 0-210 RPM Secondary Agitator, 208-240 Volt - 3/4 Horsepower Belt Drive, Gallon or Liter Markings On Mixer Shaft (10 gallon/ 40 liters increments), Low Water LED Indicator Light, Manual Hand Tilt, 316 Stainless Steel Liner Standard, High Wattage Standard, DPK Double Pantry Faucet, Certified to Applicable UL, CSA and NSF Standards, CE Certification



PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	MKEL40T	40 Gallon (150 Liter) Floor Model Electric Mixer Kettle Hand Tilt Std	820/369	\$184,741
	MKEL60T	60 Gallon (225 Liter) Floor Model Electric Mixer Kettle Hand Tilt Std	870/391	\$188,828
	MKEL80T	80 Gallon (300 Liter) Floor Model Electric Mixer Kettle Hand Tilt Std	1060/477	\$202,228
	MKEL100T	100 Gallon (375 Liter) Floor Model Electric Mixer Kettle Hand Tilt Std	1250/525	\$216,500
	TMKEL40T	Twin 40 Gallon (150 Liter Ea) Floor Model Gallon Electric Mixer Kettle Hand Tilt Std	1600/720	\$233,288
	TMKEL60T	Twin 60 Gallon (225 Liter Ea) Floor Model Gallon Electric Mixer Kettle Hand Tilt Std	1670/751	\$236,217
	TMKEL80T	Twin 80 Gallon (300 Liter Ea) Floor Model Gallon Electric Mixer Kettle Hand Tilt Std	1840/828	\$265,854
	TMKEL100T	Twin 100 Gallon (375 Liter Ea) Floor Model Gallon Electric Mixer Kettle Hand Tilt Std	2150/975	\$293,752

PUMPABLE OPTIONS (FOR USE WITH MFS MODEL FOOD PUMP)

TD2A	2" Tangent Draw-Off Valve With Acme Thread (Special Order)		\$3,620
TD2A45	45 Degree Elbow with 8 Foot Hose To Be Used For 2" Tangent With Acme Thread		\$632
TD2A90	90 Degree Elbow with 8 Foot Hose To Be Used For 2" Tangent With Acme Thread		\$655
MKDS2/316A	2" Mixer Drain Strainer 1/4" Holes		\$775

OPTIONS & ACCESSORIES (MKEL, TMKEL)

ELEVATION	Specify If Over 3,000 Feet		\$0
VOK1	380 or 415 Volt, 50 Hz, 3 Phase For Electric Export		\$1,416
VOK2	440 or 480 Volt, 60 Hz, 3 Phase		\$2,520
HW2	High Wattage Option (Standard On Mixer Kettles)		\$3,462
PT3	Power Tilt Option		\$10,698
HS001	Front Mounted Removable Heat Deflector Shield		\$1,818
CP-MKEL	Correctional Package -MKEL, TMKEL Mixer Kettles (Prison Screws And Screw Driver, Switch Guard, TD Valve Strap, Pressure Gauge Guard, Prison Control Cover)		\$4,891

CONTROL OPTIONS (MKEL, TMKEL)

GMC1/LMC1	Automatic Water Meter, Built Into Console Mounted (Specify Gallons Or Liters) Used With 3/4" Filler Hose, Replaces DPK Double Pantry Faucet		\$0
EZD-DTCI	easyDial Digital Time and Temperature Control & Indicator with Data Logger and USB Port		\$17,377



ACCESSORIES (SEE ALL KETTLE ACCESSORIES PAGE 22-24)



MIXER KETTLES, GAS, VERTICAL SWEEP & FOLD SERIES

SELF CONTAINED GAS SWEEP & FOLD VERTICAL STEAM JACKETED MIXER KETTLES




Cleveland Floor Model Gas Mixer Kettles, Solid State Temperature Controls, 3" Butterfly Valve With Acme Thread, Built In Two Piece Hinged Cover With Built In Safety Screen, 50 PSI Steam Jacket Rating, Variable Speed Agitator With 0-70 RPM Scraper Blade, 0-210 RPM Secondary Agitator, 3/4 Horse Power Belt Drive. Gallon or Liter Markings On Agitator Shaft (10 Gallon/40 Liter Increments), Low Water LED Indicator Light, DPK Double Pantry Faucet, Manual Hand Tilt, 316 Stainless Steel Liner Standard. Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	MKGL40T	40 Gallon (150 Liter) Floor Model Gas Mixer Kettle Hand Tilt STD	850/386	\$205,406
	MKGL60T	60 Gallon (225 Liter) Floor Model Gas Mixer Kettle Hand Tilt STD	925/420	\$210,469
	MKGL80T	80 Gallon (300 Liter) Floor Model Gas Mixer Kettle Power Tilt STD	1000/454	\$215,728
OPTIONS & ACCESSORIES (MKGL)				
	208-240	208-240 Volt, 60 Hz, 3 Phase Standard		\$0
	VOK1	380 or 415 Volt, 50 Hz, 3 Phase For Electric Export		\$1,416
	VOK2	440 or 480 Volt, 60 Hz, 3 Phase		\$2,520
	GAS TYPE	Specify: Natural, Propane, Butane, Manufactured, Town, Other		\$0
	ELEVATION	Specify Altitude If Over 2,000 Feet		\$0
	PT3	Power Tilt Option		\$10,698
	FBV2	2" Ball Style Valve (Contact Factory, 80, 100 Gallons Only)		CALL
	FPVA3	3" Air Operated Flush Piston Valve (KE003775-2) (Requires Air Compressor) For Pumping		\$15,328
	TD3A45	45 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$1,117
	TD3A90	90 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$1,248
	MKDS-3/316AS	3" Butterfly Valve Solid Drain Strainer - No Holes		\$924
	MKDS3/316A	3" Butterfly Valve Drain Strainer - 1/4" Holes		\$775
	HS001	Front Mounted Removable Heat Deflector Shield		\$1,818
	CP-MKGL	Correctional Package -MKGL Mixer Kettles (Prison Screws And Screw Driver, Switch Guard, Water Level Gauge Guard, Prison Control Cover)		\$4,891
OPTIONS & ACCESSORIES (MKGL)				
	208-240	208-240 Volt, 60 Hz, 3 Phase Standard		\$0
	VOK1	380 or 415 Volt, 50 Hz, 3 Phase For Electric Export		\$1,416
	VOK2	440 or 480 Volt, 60 Hz, 3 Phase		\$2,520
CONTROL OPTIONS (MKGL)				
GMC1/LMC1	Automatic Water Meter, Built Into Console Mounted (Specify Gallons Or Liters) Used With 3/4" Filler Hose, Replaces DPK Double Pantry Faucet			\$0
EZD-DTCI	easyDial Digital Time and Temperature Control & Indicator with Data Logger and USB Port			\$17,377
ACCESSORIES (SEE ALL KETTLE ACCESSORIES PAGE 22-24)				

TILTING SKILLETS, COUNTER TOP

TILT SKILLETS COUNTER TOP ELECTRIC

Cleveland Table Top Tilting Skillets, Self Contained Electric, Marine Style Safety Latch, Heating Elements Cast Into 1.25" Aluminum Block Covers Entire Surface For Even Temperature Distribution, Bead Blasted Cooking Surface Prevents Sticking, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	SET10	10 Gallon (42 Liter) New Mini MVP Tilt Skillet with easyDial Controls and Spring Assist Cover, Manual Lever Tilt with Safety Latch	200/91	\$26,825
	SET15	15 Gallon (68 Liter) Electric Lever Style Manual Tilt (208 Volt, 3 Phase) (CE)	201/93	\$26,289
OPTIONS (BUILT-ON AT THE FACTORY)				
	VOSK1	240 Volt, 60 Hz, 3 Phase (For SET Electric Models)		\$0
	VOSK2	380/415 Volt, 50 Hz, 3 Phase For Export (SET Electric Models)		\$1,406
	SPH	Single Phase Option		\$0
	TD1.5	1.5" Tangent Draw-Off (for SET10 only)		\$1,550
	COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE PAGE 31)			
	SCL15	15 Gallon Left Off Cover Standard On SET15 (standard on SET15)		\$1,476
	LCHS15	Lid Holder For SET15		\$471
	FS15S	Pour Spout Strainer For SET15		\$888
	DPK24	Double Pantry Faucet & Bracket For SET10		\$1,551
	DPK16	Double Pantry Faucet & Bracket For SET15		\$1,551
	SPK24	Single Pantry Faucet & Bracket For SET10		\$1,199
	SPK16	Single Pantry Faucet & Bracket For SET15		\$1,199
	BSSET15	Pasta Basket For SET15		\$2,565
MS-15	15 Gallon Measuring Strip For SET15		\$975	

ST SERIES EQUIPMENT STANDS





Heavy Stainless Steel Construction With 1-1/4' Square Tubing, Adjustable Feet, (Rear Flanged Feet For Bolting To Floor) Standard With Sliding Drain Drawer And Splash Screen, Can Be Hard Piped To Floor Drain, Certified to Applicable UL, CSA and NSF Standards

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	EST28G	28" Wide Economy Equipment Stand, No Drain Drawer For Single Skillet		\$3,137
	ST28G	28" Wide Equipment Stand W/ Drain Drawer And Splash Screen For Single Skillet		\$4,750
	ST55G	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For SET10, Or Two SET15)		\$9,708
	SG28	Large Flow Folding Splash Guard For ST28, ST55		\$550
				
				

TILTING SKILLETS, FLOOR MODEL, TR SERIES "DURAPAN"

TILT SKILLETS TR DURAPAN SERIES

Cleveland Durapan TR Series Tilt Skillet, Front Hinge Style Tilting Skillet, Hydraulic Hand Tilt With Quick Lowering Feature, Bead Blasted Cooking Surface Prevents Sticking, Solid State "Imbedded" Temperature Thermostats For Even Temperature Distribution, IPX6 Water Rated, 100 - 425 F, Temperature Control Knob, Stainless Steel Gas Burners on gas models, Reinforced Rolled Rim Eliminates Pan Warping, Vented Spring Assist, Certified to Applicable UL, CSA and NSF Standards, CE Certification for Gas TR Models

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	SGL30TR	30 Gallon (117 Liter) Gas Manual Tilt - Open Base	498/227	\$48,225
	SGL40TR	40 Gallon (156 Liter) Gas Manual Tilt - Open Base	622/318	\$52,176
	SEL30TR	30 Gallon (117 Liter) Electric Manual Tilt - Open Base	485/220	\$37,705
	SEL40TR	40 Gallon (156 Liter) Electric Manual Tilt - Open Base	620/282	\$41,820
OPTIONS (BUILT-ON AT THE FACTORY)				
	GM1	Gallon and Liter Markings Standard		\$0
	LPG	LP Gas		\$0
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0
	SLD	Sliding Drain Drawer With Splash Screen (Pour Spout moves to left side if No Tangent Draw-Off is ordered, SGL/SEL-TR Models Only)		\$3,106
	SGSLD-TR	Folding Splash Guard For TR Tilt Skillet Drain Drawer (For heavy pours)		\$518
	TDS2K	2" Tangent Draw Off With Drain Strainer, mounted on left side (Pan Carrier Not Available On 30 Gal. Models)		\$1,627
	PT2	Power Tilt With Manual Override Option		\$1,178
	VOSK1	240 Volt, 60 Hz, 3 Phase (Specify For SEL Electric Models)		\$1,406
	VOSK2	380/415 Volt, 50 Hz, 3 Phase For Export (SEL Electric Models)		\$1,406
	VOSK3	440/480 Volt, 60 Hz, 3 Phase (For SEL Electric Models)		\$1,406
VOSK4	220/240 Volt, 50 Hz, 1 Phase For Export (For SGL Gas Models)		\$1,406	
	CPPCBTR	Protective Control Cover		\$994
	CP-SKTD	Prison Package For Tilt Skillets (See Page 49 for Details)		\$2,976
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE PAGE 31)				
	FSSK	Pour Spout Strainer		\$870
	DPK14	Double Pantry Faucet & Bracket For SEL/SGL-TR Series		\$1,551
	SPK14	Single Pantry Faucet & Bracket For SEL/SGL-TR Series		\$1,199
	PCS	PCS - Pan Carrier (Not Available On 30 Gallon With 2" Tangent)		\$1,714
	QDC60	5 Foot Long 3/4" Gas Quick Disconnect Hose (P/N 1007841)		\$1,804
	SSLD-30TR	Sliding Drain Drawer Field Install Kit For 30 Gallon SGL/SEL-TR Models (Must Have 2" Tangent Draw-Off Or Pour Spout On Left Side)		\$1,463
	SSLD-40TR	Sliding Drain Drawer Field Install Kit For 40 Gallon SGL/SEL-TR Models (Must Have 2" Tangent Draw-Off Or Pour Spout On Left Side)		\$1,602

TILTING SKILLETS, FLOOR MODEL, T1 SERIES "POWERPAN"

TILT SKILLETS T1 POWERPAN SERIES

Cleveland PowerPan T1 Series Tilt Skillet, Center Trunnion Style Tilting Skillet, Gear Style Hand Tilt, All Stainless Steel Construction Including Gas Burners (gas models), Bead Blasted Cooking Surface Prevents Sticking, Solid State "Imbedded" Temperature Thermostats For Even Temperature Distribution, 100 - 425 F Temperature Control Knob, Reinforced Rolled Rim Eliminates Pan Warping, Vented Spring Assist Cover, System Gas Models Feature Patented Forced Air Gas Combustion System with Dual Power Control With Standard And Turbocharged Power Settings, Certified to Applicable UL, CSA and NSF Standards, CE Certification

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	SGL30T1	30 Gallon (117 Liter) Gas Manual Tilt	520/237	\$51,279
	SGL40T1	40 Gallon (156 Liter) Gas Manual Tilt	610/277	\$55,217
	SEL30T1	30 Gallon (117 Liter) Electric Manual Tilt, IPX6 Water Rated	390/178	\$38,919
	SEL40T1	40 Gallon (156 Liter) Electric Manual Tilt, IPX6 Water Rated	645/187	\$42,422
T1 SERIES TILT SKILLET OPTIONS				
	GM1	Gallon and Liter Markings Standard		STD
	LPG	LP Gas		\$0
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0
	EZD	EasyDial Control Option		\$2,222
	TCP1	Core Temperature Probe, EasyDial Controls Only		\$1,461
	FF	Level Adjustable Flanged Feet For Floor Bolting Standard		STD
	TDS2K	2" Tangent Draw Off With Drain Strainer, mounted on left side (Pan Carrier Not Available On 30 Gal. Models)		\$1,521
	PT2	Power Tilt With Manual Override Option		\$1,178
	VOSK1	240 Volt, 60 Hz, 3 Phase (For SEL Electric Models)		\$1,406
	VOSK2	380/415 Volt, 50 Hz, 3 Phase For Export (SEL Electric Models)		\$1,406
	VOSK3	440-480 Volt, 60 Hz, 3 Phase (For SEL Electric Models)		\$1,406
	VOSK4	220/240 Volt, 50 Hz, 1 Phase For Export (For SGL Gas Models)		\$1,406
	HWS	High Wattage Option (16 Kw For 30 Gal, 24 Kw For 40 Gal) SEL-T1 Electric Models		\$920
	CPCBTR	Protective Control Cover		\$994
CP-SKTD	Prison Package For Tilt Skillets (See Page 49 for Details)		\$2,976	
COMMON ACCESSORIES (FOR MORE ACCESSORIES SEE PAGE 31)				
 	FSSK	Pour Spout Food Strainer (P/N KE603840)		\$870
	DPK13	Double Pantry Faucet & Bracket For SEL/SGL-T1 Series		\$1,551
	SPK13	Single Pantry Faucet & Bracket For SEL/SGL-T1 Series		\$1,449
	PCS	PCS - Pan Carrier (Not Available On 30 Gallon With 2" Tangent)		\$1,714
	CST1	Casters, Set Of Four, Two Locking (P/N 0308787) Field Installed		\$1,591
QDC60	5 Foot 3/4" Long Gas Quick Disconnect Hose (P/N 1007841)		\$1,804	

TILTING SKILLETS ACCESSORIES

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
FAUCETS					
	DPK16	Double Pantry Faucet And Bracket For SET15		\$1,551	
	SPK16	Single Pantry Faucet And Bracket For SET15		\$1,199	
	DPK15	Double Pantry Faucet And Bracket For SET10		\$1,551	
	SPK15	Single Pantry Faucet And Bracket For SET10		\$1,199	
	DPK13	Double Pantry Faucet And Bracket For PowerPan T1 Skillets		\$1,551	
	SPK13	Single Pantry Faucet And Bracket For PowerPan T1 Skillets		\$1,449	
	DPK14	Double Pantry Faucet And Bracket For Durapan TR Skillets		\$1,551	
	SPK14	Single Pantry Faucet And Bracket For Durapan TR Skillets		\$1,199	
	FBSL1	Faucet Bracket SET15 And part 230220		\$543	
	FBSL2	Faucet Bracket SET10 And part 230880		\$543	
	FBST1	Faucet Bracket T1 Series Skillets		\$543	
	FBSTR	Faucet Bracket TR Series Skillets		\$543	
	B-0176	T&S Double Pantry Faucet With Swing Spout And PRS Spray Hose		\$3,556	
	SKFS	Single Pantry Faucet Skillet Filler With 60" Hose (P/N 105978)		\$2,758	
	DKFS	Double Pantry Faucet Skillet Filler With 60" Hose (P/N 105979)		\$3,408	
PRSS	Pre-Rinse Spray Hose (B-0113)		\$3,574		
PAN CARRIERS — DRAIN PANS					
	PCS	Pan Carrier (P/N 2499999 For T1 Models, Can't Use On 30 Gallon With Tangent)		\$1,714	
	PCS	Pan Carrier (P/N 2240099 For TR Skillet Models, Can't Use On 30 Gallon With Tangent)		\$1,714	
	DRAINPAN6	6" Deep 12" X 20" Stainless Steel Pan With Drain		\$1,135	
	H08.2	2" Dia., 8 For Long Drain Hose For Use With Drain Pan 6		\$0	
	COOKING BASKETS, FOOD STRAINERS, POACHING PANS, FLOW DIVERTER				
	BSSET15	Basket For SET 15 Tilt Skillet		\$2,565	
	VS	Vegetable Steamers (2 ea for 30 gal., 3 ea for 40 gallon)		\$1,796	
	FDS	Flow Diverter for 30 and 40 Gallon Skillets		\$2,177	
	FSSK	Food Strainer, 30/40 Gallon Skillets (P/N KE603840)		\$870	
	FS15S	For Strainer For SET15		\$888	
	PP	Poaching Pan (Pan SK2242000) For 30 (Holds 2) & 40 Gallon (Holds 3) Models, SET10		\$1,634	
	PPR	Poaching Pan - SET15(P/N SK2242000)		\$2,037	
	LIFT OFF COVERS, COVER HOLDERS				
		SCL15	Lift Off Cover For SET15		\$1,476
LCH15		Lift Off Cover Hold SET15		\$471	
MISCELLANEOUS					
	SSLD-30TR	Sliding Drain Drawer Field Install Kit For 30 Gallon SGL/SEL-TR Models (Must Have 2" Tangent Draw-Off Of Left Side)		\$1,463	
	SSLD-40TR	Sliding Drain Drawer Field Install Kit For 40 Gallon SGL/SEL-TR Models (Must Have 2" Tangent Draw-Off On Left Side)		\$1,602	
	SGSLD-TR	Folding Splash Guard For TR Tilt Skillet Drain Drawer		\$518	
	LTKS	4" Stainless Steel Legs For SET15 (Must be built on at Factory)		\$1,294	
	0308787	Caster Set For T1 Series Skillets - P/N 0308787		\$1,754	
	FFSTR	Front Flanged Feet For TR Series Skillets (SK00414-1 Flanged Foot, SK078160-1 Insert)		\$0	
	FFST1	Front Mounted Flanged Feet For T1 Series Skillets Only (KE50249-2)		\$1,248	
	KE01173-4	Extended Legs 4"L, 1-14" Pipe For T1 Tilt Skillets Only (P/N KE01173-4)		\$250	
	KE01173-5	Extended Legs 5"L, 1-14" Pipe For T1 Tilt Skillets Only (P/N KE01173-5)		\$300	
	KE01173-6	Extended Legs 6"L, 1-14" Pipe For T1 Tilt Skillets Only (P/N KE01173-6)		\$300	
	KE003716-6	SGL30TR Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UL Certified		\$1,674	
	KE003716-7	SGL40TR Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,674	
	KE003716-6	SGL30T1 Nat. To L.P. Conversion Kit 2,000 Ft Elevation, Certified		\$1,674	
KE003716-9	SGL40T1 Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UL Certified		\$1,394		

MODEL NUMBER LEGEND



POSITION 1

(followed by dash)

Width of cabinet base in inches for Counter Type Convection steamers, Floor Model Convection steamers, ConvectionPros. (Not used for Kettles, or Skillet)

POSITION 1

TYPE OF EQUIPMENT:

C = **C**onvection Steamer

K = **K**ettle

C = **C**onvection Steamer

S = **S**killet

P = **P**ressure Steamer

PC = **P**ressure / **C**onvection Steamer

MFS = **M**etering **F**illing **S**tation

MK = **M**ixer **K**ettle

TMK = **T**win **M**ixer **K**ettle

HA-MK = **H**orizontal **A**gitator **M**ixer **K**ettle

POSITION 3

TYPE OF POWER OR ENERGY SOURCE:

E = **E**lectricity

G = **G**as — natural — other, if specifically identified

D = **D**irect steam (connected to a separate source)

S = **S**tream **C**oil **G**enerator — use where steam available from another source is not clean enough to use on food (Only one size exists).

POSITION 4

TYPE OF MOUNT OR GENERATOR:

L = **L**egs, open stand or frame

P = **P**ressure generator

M = **M**odular; cabinetized; enclosed

T = **T**able top mounted on stand cabinet, table, counter, etc.

A = **A**tmospheric generator (stainless steel)

POSITION 5

Designation of capacity or input. For kettles, it will indicate "Gallons." For electric or gas steam generators, it will indicate input of energy in either "KW" or "M BTU." (Number is preceded by a dash). For SteamCraft Series this number will indicate the pan capacity for 2-1/2" steam table pans.

POSITION 6

(followed by dash)

ADDITIONAL DETAILED INFORMATION OR ACTION:

F = Indicates a **F**ull steam jacket on a kettle.

T = Indicates a **T**ilting kettle, either manual or power pour.

EXAMPLES OF MODEL NUMBER USAGE

36-CGM-200 is a 36 inch wide base, Convection Steamer, Gas powered, Modular cabinet mounted, 200M BTU.

or:

TMKEL-100-T is a Twin Mixer-Kettle, Electric, Leg mounted, 100 Gallon, Tilting. But, being a twin kettle model, it has two 100 Gallon kettles.

NOTE: Model Number Legend not valid for Options and Accessories.

STEAMCRAFT 3, 5, 10 & GEMINI™ CONVECTION STEAMERS
 GENERATOR STYLE, IDEAL FOR HIGH VOLUME A LA CARTE AND BATCH TYPE

SteamCraft®
 Series High Speed Convection Steamers

“When you need a lot and need it fast”.



Easy-access descaling port... if it's easy to do, it's more likely to get done.

Compartment interior has coved corners for better steam circulation and easy cleaning.

Free-floating inner door makes a positive seal every time, will never leak and isolates the outer door, keeping it cool to touch.

Reversible door gasket lasts 4 times as long.

Heavy gauge stainless steel door and cooking compartment.

4" adjustable legs are standard.

Additional heating element above the waterline dries the steam to reduce condensation on foods and speeds cooking.

Water level control located outside boiler, (where scale forms), preventing scale related control failure.

Power flush system not only drains the boiler automatically when the power is off, but actually flushes the water down the drain to ensure it never plugs with scale.

Electronic timer with load compensating feature automatically adjusts cook time to the load size for consistent results every time.

Manual by-pass switch for constant steaming.

SteamCraft® 5

- Cooking Capacity for up to ten 12" x 20" x 2 1/2" deep Cafeteria Pans, five each compartment.
- Totally independent cooking compartments, each has its' own generator, gas valve and water level controls - no shared components
- Exclusive High Efficiency Gas Power Burner (forced air) Generator: Produces more steam for faster cooking while lowering operating costs (72M BTU's per compartment)
- Easy Access Cleaning Port: Each generator has a delimiting port located on the outside, top of the unit
- Generator Cleaning Light for each compartment warns the operator to delime generator
- Generator Steam Standby Mode: Holds generator at a steaming temperature, allows unit to start cooking quickly
- Each compartment has one, 60-Minute Electro-Mechanical Timer with "SureCook" load compensating feature. Manual Bypass Switch for constant steaming.
- Durable Heavy Gauge, 304 Stainless Steel construction for compartment door, cooking cavity and steam generator
- Exclusive Two-Piece Compartment door: Slammable, self-adjusting door provides and airtight seal, reversible door gasket for extended life
- Exclusive Gemini™ Drain/Power Control System: Simple, reliable 1/2" ball valve style drain automatically turns power ON/OFF
- Exclusive Brass Steam Jets distribute even, high velocity steam throughout cooking compartment for faster cooking times
- Easy, Front -Access Generator Controls comes with a pullout drawer for simple servicing of unit
- Compartment Steam Shut-Off Switch when compartment door is opened



SteamCraft® Gemini™ 10



Connectionless Model
22CCT6



Connected Electric Model
22CET3.1 22CET6.1



Connected Gas Model
22CGT3.1 22CGT6.1



Easy as 3-2-1...

3-YEAR COMPARTMENT DOOR WARRANTY STANDARD

- Rugged 14-gauge stainless steel holds up to abuse.
- Heavy gauge door hinges maintains tight leak proof seal.

2-PIECE EXCLUSIVE COMPARTMENT DOOR DESIGN

- "Free Floating" inner door is self adjustable, maintains steam tight seal.
- Removable for easy cleaning and sanitizing, stays "Cool to the Touch".

1-YEAR DOOR GASKET WARRANTY STANDARD

- Door gasket last "4-Times Longer" than competitive models.

... Plus

PATENTED KLEANSHIELD COOKING COMPARTMENT DESIGN

- Provides "Clean Steam" - eliminates foaming and cross contamination.
- Eliminates flavor transfer, easy to clean and sanitize.

EXCLUSIVE CONVECTION STYLE Baffle SYSTEM

- High velocity "Convection Steam" for even energy distribution.
- Faster cooking and recovery times for superior performance.



22CCT6:
6 Pan Electric Connectionless

SteamChef's patented **KleanShield** compartment design eliminates foaming, flavor transfer and cross contamination caused by the water reservoir typically found in connectionless steamers.

NOW MEET EPA 202
For Ventless Operation
(Electric Models)



Typical Connectionless Steamer



Steam generating water from SteamChef with **KleanShield** (left) and typical connectionless steam water (right) after 3 loads of potatoes.



21CET8



21CET6

When You Need A Lot and Need it Fast!

MAINTENANCE FREE "STEAM JETS" FOR HIGH VELOCITY STEAM.

- No fans needed, superior temperature distribution, fast cooking, instant recovery and maintenance free.

SELF CLEANING FIREBAR STYLE ELEMENT

- Shed's off scale and improves energy efficiency

EXCLUSIVE "DRYING ELEMENT" FOR MOISTURE-FREE STEAM

- No flavor transfer or cross contamination

TWO-PIECE COMPARTMENT DOOR

- Self adjusting free floating inner for air-tight seal
- Reversible door gasket, quadruples the life of the gasket.

Best Overall Warranty Program

5-YEAR PRORATED GENERATOR WARRANTY

3-YEAR EXCLUSIVE STEAMER DOOR WARRANTY

- Full 3-years parts and labor coverage on 3, 5, 6 & 10 Pan Models

3-YEAR K-12 SCHOOL WARRANTY ON STEAMER WITH FILTER PURCHASE

- 2-Year K-12 standard warranty Steamers, Kettles, Skillets.

2-YEAR STEAMER WARRANTY WITH FILTER PURCHASE

- Full 2-years parts and labor coverage.

1-YEAR STEAMER DOOR GASKETS AND ADJUSTMENTS

- 3, 5, and 6 compartment steamers.

FREE PERFORMANCE START UP INCLUDED

- Water Quality Lab Analysis available for "FREE".

GEMINI 10 CONVECTION STEAMERS HEAVY GAUGE STAINLESS STEEL GENERATORS



10-Pan Models:

- 24CGA10.2 - Twin systems
- 24CGA10.2ES - Energy Star
- 24CGA10 - Single generator system
- 24CEA10 - Electric model

TWIN INDEPENDENT COOKING COMPARTMENTS

- Separate generator, gas combustion system, water level control and cooking controls for each compartment.

HIGH EFFICIENCY "TURBO-CHARGED" GAS POWER BURNER DESIGN

- For increased steam production, cooking speed and recovery.
- Approved for use over combustible floors.

SINGLE FRAME UNIBODY CONSTRUCTION DESIGN

- Heavy gauge stainless steel single frame construction holds up to abuse, allows for proper airflow, reducing downtime.

MAINTENANCE FREE "STEAM JETS" FOR HIGH VELOCITY STEAM

- No fans needed, superior temperature distribution, fast cooking and instant recovery.

REMOTE WATER LEVEL CONTROLS

- Located outside the generator for simplified maintenance and service.

TWO-PIECE COMPARTMENT DOOR

- Self adjusting free floating inner for air-tight seal
- Reversible door gasket, quadruples the life of the gasket.

5-YEAR PRORATED GENERATOR WARRANTY

3-YEAR EXCLUSIVE STEAMER DOOR WARRANTY

- Full 3-years parts and labor coverage.

3-YEAR K-12 SCHOOL WARRANTY ON STEAMER WITH FILTER PURCHASE

- 2-Year K-12 standard warranty Steamers, Kettles, Skillets.

1-YEAR STEAMER DOOR GASKETS AND ADJUSTMENTS

- 3, 5, and 6 compartment steamers.


FREE PERFORMANCE START UP INCLUDED

- Water Quality Lab Analysis available for "FREE".

CLASSIC SERIES STEAMERS 15 PSI BOILERS, GAS & ELECTRIC MODELS



Model 24CGM200



Boiler Descaling System

INDUSTRY'S BEST WARRANTY

- 5-year prorated boiler warranty featuring nickelguard boiler protection.
- 3-year 100% k-12 school warranty with filter purchase.
- 3-year door warranty.
- 1-year door gasket warranty.

EXCLUSIVE TWO-PIECE DOOR DESIGN

- Two-piece compartment door with free floating inner door provides air-tight, leak proof seal.
- Reversible, rotatable door gasket extends life 4 times longer than competitors.
- Cool to the touch, won't burn operators.

HEAVY 14-GAUGE STAINLESS STEEL CONSTRUCTION

- Build for life design with heavy duty 14-gauge stainless construction for cooking compartment, door and base frame.

EASIER MAINTENANCE

- Optional boiler descaling pump system simplifies descaling, saving time while providing improved safety and superior cleaning results.



5-YEAR PRORATED BOILERS AND GENERATOR WARRANTY

- 100% covered for first 2 years with filter purchase.

2-YEAR STEAMER WARRANTY WITH FILTER PURCHASE

- Full 2-years parts and labor coverage.

3-YEAR EXCLUSIVE STEAMER DOOR WARRANTY

- Full 3-years parts and labor coverage on 3,5,6, 10 Pan Models.

1-YEAR STEAMER DOOR GASKETS AND ADJUSTMENTS

- 3, 5, and 6 compartment steamers.

3-YEAR K-12 SCHOOL WARRANTY ON STEAMER WITH FILTER PURCHASE

- 2-Year K-12 standard warranty Steamers, Kettles, Skillets.

FREE PERFORMANCE START UP INCLUDED

- Water Quality Lab Analysis available for "FREE".

**See warranty policy for details.*



ELECTRIC, GAS & DIRECT STEAM KETTLES
50 PSI HIGH PRESSURE STEAM JACKET RATING (3.5 BAR BOILING PANS)

**Cleveland
 Steam
 Jacketed
 Kettles**

Set the Standard
 for Comparison.



Gas Kettles



Electric Kettles

Gas Kettles

- Rotatable, domed cover with spring assist for easy cleaning.
- Sealed roller bearing pivot for easy tilting and longer life than brass bushings.
- 50 PSI (3.5 Bar) Steam Jacket Rating for higher temperatures and faster cooking and superior browning.
- Easy to replace O-ring gasket on tangent stem.
- High-efficiency power burner (on Gas models), provides efficient heat transfer, making for extremely fast heat-up and recovery with economical gas consumption.
- Hardened, adjustable tilt gears for long life and easy tilting.
- Water resistant controls and splash-proof design prevent water damage from spillage or cleaning.
- Solid State Temperature controls are accurate to within 1 C, and do not wander; perfect for delicate products and tightly controlled simmering.
- Additional leg, (4 total) on electric models with 80 gallon+ capacity for greater stability (all gas models come standard with 4 legs).

Electric Kettles

- Rotatable, domed cover with spring assist for easy cleaning.
- Sealed roller bearing pivot for easy tilting and longer life than brass bushings.
- 50 PSI (3.5 Bar) Steam Jacket Rating for higher temperatures and faster cooking and superior browning.
- Easy to replace O-ring gasket on tangent stem.
- IPX6 rated controls and splash-proof design prevent water damage from spillage or cleaning.
- Solid State Temperature controls are accurate to within 1 C, and do not wander; perfect for delicate products and tightly controlled simmering.
- Hardened, adjustable tilt gears for long life and easy tilting.
- Additional leg, (4 total) on models with 80 gallon+ capacity for greater stability.

STEAM JACKETED KETTLE BENEFITS
50 PSI HIGH PRESSURE STEAM JACKET RATING (3.5 BAR BOILING PANS)



Stow Away your Stock Pots and Get Cooking with Steam

Cleveland steam jacketed kettles offer ultra efficient heat transfer, uniform heating and superior product handling. Steam jacketed kettles offer faster cooking times because two thirds of the cooking surface comes into contact with the product at a much lower temperature, compared to stock pots that use a much higher temperature only at the bottom of the pot. In addition, accurate temperature controls eliminate constant monitoring and resetting. Foods won't burn or scorch and you can hold product at a simmer without over cooking. Tilting models makes product handling simple. Clean up is easy since food isn't burned or over cooked like stock pots.

IDEAL FOR:

Soups, delicate sauces, pasta, gravies, desserts, stews, braising meats, rice, reheating dishes and holding them until serving.

INCREASES QUALITY AND PRODUCTIVITY:

- ✓ Heats from all sides and has 3-4 times larger heat surface than stock pots.
- ✓ Gentle uniform cooking.
- ✓ Faster cooking times using high energy steam.
- ✓ Precision temperature controls from a simmer to a rolling boil.
- ✓ No hot spots.
- ✓ Eliminates pot watching, constant stirring and large stock pots.

IMPROVES OPERATOR'S PROFITS BY:

- ✓ Reduces food waste due to over cooking and burning.
- ✓ Reheat meals without over cooking.
- ✓ Simmer food all day without over cooking.
- ✓ Simplifies and standardizes recipe and enhances recipe development.
- ✓ Improves Worker Safety:
- ✓ Tilting models make pouring safe.
- ✓ Eliminates heavy lifting and carrying hot stock pots.

SAVES ENERGY:

Kettles use 35% less energy than stock pots on an open burner. Keeps kitchens cooler.

SAVES TIME:

- ✓ Eliminates scrubbing of messy stock pots.
- ✓ Butterfly shaped pouring lip accurately pours product into containers for serving.



KET-3-T TKET-3-T
 KET-6-T KET-6-TGB TKET-6-T
 KET-12-T KET-12-TGB TKET-12-T

MEETS IPX6 WATER RATING PROTECTION GUIDELINES

- Meets IPX6 for both standard and easyDial controls models.
- Prevents downtime and expensive water related damages.

BUILT IN SELF DIAGNOSTICS STANDARD

- 6 diagnostic error codes continuously monitors internal functions.
- Easy to service, promotes first time fix rates.

ENERGY EFFICIENT LOW WATT DENSITY HEATING ELEMENTS

- Low watt density element extends element life longer
- 100% vacuum sealed, no gaskets requires, leaks eliminated, no element failures.

COLOR CODED PRESSURE VACUUM GAUGE

- Green zone allows operators to easily identify kettle vacuum for optimum performance.
- Vent air zone easily identifies when vacuum is lost.

“MARINE STYLE” SAFETY LATCH STANDARD

- Built in safety latch prevents accidental spills.

SOLID STATE TEMPERATURE CONTROLS

- Less than 5° F (1° C) temperature variance for superior cooking control from simmering to rapid boil, no burning or scorching.

New easyDial® Control Option

- Digital time and temperature control and indicator.
- Three cooking modes — Cook/Simmer, Cook/Off, Cook/Cook.
- Meets IPX6 water rating protection guideline.
- Six built in diagnostic indicator readouts.
- Optional core temperature probe.
- Available on KET, KGT Series countertop self contained kettles.



Model KGL40T
(40 Gallon Tilting)



Model KGL40SH
(Short Series Stationary)

MOST POWERFUL GAS KETTLE AVAILABLE*

- 160,000 BTU's on 40-gallon models.
- 190,000 BTU's on 60, 80, 100-gallon models.
- 50 PSI steam jacket rating achieves high temperatures.

PATENTED "TURBO CHARGED" GAS HEATING DESIGN

- High efficiency patented forced air gas combustion system.
- Fastest in cooking speed and recovery.
- Boils up to 40% faster than competitors.
- Certified for use over combustible floors.

BUILT-IN SELF DIAGNOSTICS STANDARD

- 6 diagnostic error codes continuously monitors internal functions
- Easy to service, promotes first time fix rates
- Color Coded Pressure Vacuum Gauge
- Green zone allows operators to easily identify kettle vacuum for optimum performance.
- Vent air zone easily identifies when vacuum is lost.

SOLID STATE TEMPERATURE CONTROLS

- Less than 5° F (1° C) temperature variance for superior cooking control from simmering to rapid boil, no burning or scorching.

New easyDial® Control Option (For Tilting Models Only)

- Digital time and temperature control and indicator.
- Three cooking modes — Cook/Simmer, Cook/Off, Cook/Cook.
- Meets IPX6 water rating protection guideline.
- Six built in diagnostic indicator readouts.
- Optional core temperature probe.
- Available on KET, KGT Series countertop self contained kettles.



TANGENT DRAW OFF VALVE

- Comes out the front of the kettle.
- 2" or 3" diameter size outlets.
- GOOD for pumping, only way to pump on electric models since Butterfly and Air Piston Valve not available on electric kettles.



Tangent Draw-Off with Acme Thread

3" BUTTERFLY VALVE

- Comes out the bottom of the kettle.
- BETTER for pumping since locate on bottom of kettle.
- Available on gas and direct steam, not available on electric kettle.




3" Butterfly Valve with Sani Style (Tri Clover) Clamp

3" AIR PISTON VALVE

- Air operated piston opens/closes on the bottom of the kettle, flush mounted at the bottom for Air-Tight Seal.
- BEST method for pumping.
- Available on gas and direct steam, not available on electric kettles.

TYPES OF CONNECTIONS FOR PUMPING

1. Sani Clamp (Tri Clover Clamp): Drain Valve is flanged on the bottom, Tri-Clover clamp used to connect hose to valve, easiest of the connections to attached and clean, accepted in USDA facilities.
 2. Acme Thread: Large threads on end of valve to screw on hoses. Very cleanable and accepted in USDA facilities
- When pumping, specify Sani Clamp or Acme Thread options, must be built on at factory.



3" Air Piston Valve with Acme Thread (Kettle bottom with valve in closed position)

MODEL SF3 FOR TILTING KETTLES

- For Use With Kettles With a 2" Tangent Draw Off Valve.
- Swivel Style Drain Cup Swings Under Or Away from Tangent Draw Off Valve Opening.
- Includes Drain Screen.
- Mounts To Leg Of The Kettle.
- Can Hard Piped to Floor Drain.
- Heavy Stainless Steel Construction.



SF3 Swing Drain Funnel for Tilting Kettles

MODEL SF4 FOR STATIONARY KETTLES

- For Use With Kettles With a 2" Tangent Draw Off Valve.
- Swivel Style Drain Cup swings Under Or Away from Tangent Draw Off Valve Opening.
- Includes Drain Screen.
- Mounts To Leg Of The Kettle.
- Can Be Hard Piped to a Floor Drain.
- Heavy Stainless Steel Construction.



SF4 Swing Drain Funnel for Stationary Kettles




PAN CARRIER - MODEL PCK

- Made from heavy gauge stainless steel. Bracket under pour spout connects Pan Carrier, for all Cleveland floor model tilting kettles.
- Stays level when kettle is tilted, allows the product to be poured directly in 12" x 20" pans.
- Pan Carriers and Flow Diverter for Tilting Kettles

FLOW DIVERTER- MODEL FD

- Made from heavy gauge stainless steel.
- Bracket under pour spout connects Flow Diverter, for all Cleveland floor model tilting kettles.
- Hinged style diverter allows operator to accurately direct pour when tilting with to minimize splashing.




Model PCK Pan Carrier when tilted



Model FD Pan Flow Diverter when tilted

Cleveland Braising Pans

Value-Added Features Built Into Every Model.



T1 — PowerPan™ Series



SET10



SET15



SEL40TR
 Shown with Sliding Drain Pan (SLD)



SGL40T1

Superior Temperature Control

IMBEDDED TEMPERATURE SENSORS

- "Imbedded" temperature sensors drilled into pan bottom for precise even cooking (see comparison below).

MULTIPLE STAINLESS-STEEL BURNER DESIGN

- Large stainless-steel burners with "multiple rows of rosette's.
- Evenly spaced throughout the pan bottom for quick response and greater temperature control and even browning pattern.

HYDRAULIC HAND TILT WITH QUICK LOWERING FEATURE


- Easy to turn hydraulic hand tilt requires fewer turn.
- Quick Lowering feature eliminates hand tilting down.

MEETS IPX6 WATER RATING PROTECTION GUIDELINES


- Meets IPX6 for both standard and easyDial controls.
- Prevents downtime and expensive water related repairs.

REINFORCED ROLLED RIM


- Eliminates warping of skillet pan allowing skillet cover to close properly.



Cleveland **SGL40TR**



Competitor A



Competitor B

Results of thermal imaging testing on three leading tilt skillets surfaces heated to 350°F.

COMPARE THE DIFFERENCE

Cleveland solid state temperature control sensors are "drilled" into the skillet's surface and provides an even temperature across entire pan surface, eliminating hot and cold spots for better browning pattern. Competitors clamped on version has a wider temperature variance which causes greater uneven temperatures across the pan surface.

More Power, Speed And Recovery

MOST POWERFUL TILT SKILLET AVAILABLE*

- Up to 60% more power on 30 gallon models.
- Up to 100% more power on 40 gallon models.

PATENTED "TURBO CHARGED" GAS HEATING DESIGN

- High efficiency forced air gas combustion system.
- Fastest in cooking speed and recovery.

EXCLUSIVE "DUAL POWER" SETTINGS

- High/Low power setting for speed and energy savings.
- 200,000/160,000 BTU's for 40 gallon models.
- 125,000/90,000 BTU's for 30 gallon models.

LOW 35" RIM HEIGHT

- Easier to safely handle food and cleaning process.

REINFORCED ROLLED RIM

- Eliminates warping of skillet pan allowing skillet cover to close properly.

SOLID STATE TEMPERATURE CONTROLS

- "Imbedded" temperature sensors for precise cooking.
- 10 tilt cooking feature.



*Cleveland gas models SGL30T1, SGL40T1.
Based on competitors spec sheets.
SEL30T1, SEL40T1 electric models.

New easyDial® Control Option

- Digital time and temperature control and indicator.
- Three cooking modes — Cook/Simmer, Cook/Off, Cook/Cook.
- Meets IPX6 water rating protection guideline.
- Six built in diagnostic indicator readouts.
- Optional core temperature probe.



Horizontal (HA) Series C/C Mixer Kettles Tilting & Stationary

Ideal for all applications, especially heavier foods like ground beef, meat sauces, mashed potatoes that requires superior mixing capabilities.

50 PSI steam jacket rating. Optional higher PSI steam jackets available.



DIRECT STEAM TILTING —

- HAMKDL60TCC
- HAMKDL100TCC
- HAMKDL200TCC

STATIONARY —

- HAMKDL60CC
- HAMKDL100CC
- HAMKDL200CC

SELF-CONTAINED GAS TILTING —

- HAMGL60TCC
- HAMGL80TCC
- HAMGL100TCC

STATIONARY —

- HAMGL60CC
- HAMGL80CC
- HAMGL100CC



EXCLUSIVE HORIZONTAL AGITATOR DESIGN

Lifts and folds heavy, delicate, chunky, thick or thin products.

TOTALLY ENCLOSED SPRING LOADED AGITATOR BLADES

Hold tight against kettle surface for effective scraping.

NO COLD ZONES

Continuously scoops and folds the center of the product for faster cooking.

VARIABLE SPEED CONTROL AND INDICATOR

Adjustable from 5-24 RPM for a variety of applications.

SUPERIOR TEMPERATURE PROBE DESIGN

Located at the bottom of the kettle for accuracy down to the final emptying of the product.

DESIGNED FOR EASY CLEANING

Easy to rotate and remove agitator paddles without tools.

SINGLE PIECE DOME HINGED COVER

Increases productivity by retaining heat, improves food quality by keeping air out and steam in, improves safety because kettle cover is closed during cooking.

Sweep & Fold Series Tilting & Stationary C/C Mixer Kettles

Standard with 3" air operated flush piston valve for pumping, 316 stainless steel, console mounted Digital Time/ Temperature Control, Chart Recorder and Automatic Water Meter.

Ideal for soups, sauces, gravies, salad dressings, pie fillings.

50 PSI up to 100 gallons, 35 PSI on 125 gallons & larger.

ELECTRIC TILTING —

- MKEL40T
- MKEL60T
- MKEL80T
- MKEL100T



DIRECT STEAM

- MKDL40TCC
- MKDL100TCC
- MKDL60TCC
- MKDL125TCC
- MKDL80TCC
- MKDL150TCC



SELF-CONTAINED GAS

- MKGL40TCC
- MKGL60TCC
- MKGL80TCC

COMPLETELY SELF — CONTAINED COOK CHILL SYSTEM

FEATURING A 60, 80 OR 100 GAL. SELF CONTAIN GAS HORIZONTAL MIXER KETTLE AND SELF CONTAINER PRODUCT CHILLER

Cleveland Cook Chill Systems can now be designed for smaller to mid-size operators looking to start a USDA and FDA cook chill food processing operation. Cleveland HA-G Self Contained Cook Chill Systems cooks food to a "just done state" packaged in heavy duty casings at pasteurization temperature, then rapidly chilling to 40°F in less than one hour, enabling the "Fresh" product to be stored in a refrigerated food bank at 28°F to 32°F up to 4 weeks. No external steam boiler or ice builder is required for the HA-G Cook Chill System.

1. MIXING / COOKING



HA SERIES MIXER KETTLES (HAMKGLTCC)

Cleveland's self-contained high efficiency gas fired horizontal mixer kettles eliminates the need for an expensive large industrial boiler. Available in 60, 80 & 100 gallon models, tilting or stationary. Cleveland's patented HA series horizontal agitator lifts and folds heavy, delicate, chunky, or thin products.

2. PACKAGING



FOOD PUMP (MFS)

Cleveland' MFS model food pump provides a gentle but efficient transfer of hot and cold food from the mixer kettle into heavy duty casing pouches at the desired set amount, then safety seals the casing for chilling. The MFS-U100 model food pump can also fill retail cups and jars.

3. CHILLING



PRODUCT CHILLER (HBC075, HBC100 & HBC200)

Cleveland HBC series Product Chiller has built in direct-expansion refrigeration that rapidly reduces the temperature of the filled casings. No ice builder is required. Turbulent circulated flow provides full agitation to provide the most optimum rapid cooling. Available in 75, 100 & 200 gallon tank sizes.

SUPPORT REQUIREMENTS

The Cleveland Self Contained Cook Chill system requires no Ice Builder refrigeration or remote boilers, only a condensing unit for the product chiller. Compressed air is required for pumping from the kettle to the food pump.

EASYDIAL —
OPTIONAL CONTROLS WITH ADVANCED FEATURES FOR WORLD CLASS PERFORMANCE

Cleveland **standard controls** for tabletop kettles and T1 skillets offer simple precise, consistent solid state temperature controls with minimal temperature variance and superior cooking times.


The fully digital **easyDial®** control option is enclosed in a splashproof ergonomically angled console and offers the following key features.

ACCURATE TIME & TEMPERATURE CONTROL



Precise temperature controls for consistent results and to help prevent overcooking and damaging the unit with burnt food.
 A loud audible buzzer indicates cooking is complete.

THREE COOKING MODES



Cook/HOLD - Ideal cook and simmering applications brings food to a boil and then automatically goes into a simmering temperature. Eliminates waste due to overcooking and scorching.


Cook/ON - For cooking by time and temperature. The temperature will run continuously until manually turned off.

Cook/OFF - For cooking by time and temperature, the timer countdown turns off the heat.

MEETS IPX6 WATER RESISTANCE

Water related service issues are dramatically reduced.

BUILT-IN DIAGNOSTIC READOUT



6 Built-In Self Diagnostics Indicators and Digital Readout. Simplifies troubleshooting, reduces maintenance costs and promotes first time fix.

CORE TEMPERATURE PROBE OPTION



Optional Core Temperature Probe can be used as an internal product probe for multiple products monitoring the core internal temperature for superior food quality.

CORRECTIONAL PACKAGES

MODEL	DESCRIPTION	LIST PRICE
FOR CLASSIC SERIES CONVECTION STEAMERS: 24", 36" AND 42" WIDE MODELS		
CP-LCBD	Tamper Proof Lockable Cabinet Base Door for 24" 36" and 42" wide Convection Steamers, and Boiler Bases. *Locks provided by others.	
CP-PR	Non-Removable-Tamper proof pan racks for interior cooking compartment for all floor model steamers.	
CP-EXT	Tamper Proof exterior compartment and cabinet base sheeting using Tamper Proof Spanner Drilled Head Screws for all floor model steamers.	
CP-SCRD	Set of Screwdrivers: For tamper proof screws.	
CP-COVER	Tamper Proof Hasp-Type* Hinged Cover for controls. *For 24" and 36" & 42" Convection Steamers only. *Locks provided by others.	
CP-CCX	TOTAL COMPLETE CORRECTIONAL PACKAGE PRICE (Includes all of the above options).	\$3,763




CP-LCBD

FOR STEAMCRAFT 3, 5, 10, GEMINI™ 6, 10 MODELS		
CP-SC10	Tamper Proof exterior with Tamper Proof Spanner Drilled Head Screws for all SteamCraft® 10 models.	
CP-SCRD	Set of Screwdrivers: For tamper proof screws.	
CP-PR	Non-Removable Tamper proof pan racks for interior cooking compartment for all floor model steamers.	
CP-PORT	Tamper Proof Hasp-Type Hinged Cover for descaling port. *Locks provided by others.	
CP-COVER	Tamper Proof Hasp-Type Hinged Cover for controls and power switch. *Locks provided by others.	
CP-SCG	TOTAL COMPLETE CORRECTIONAL PACKAGE PRICE (Includes of the above options).	\$3,804




FOR FLOOR MODEL TILTING BRAISING PANS		
CP-SCB	Tamper Proof exterior side and rear panels with Spanner Drilled Head Screws, R-Series Skillets	
CP-SCRD	Set of three Spanner Drilled Head Screwdrivers.	
CP-PCB-T1	Protective Control Cover, T-1 Series Skillets * Locks provided by others.	
CP-PCB-TR	Protective Control Cover, TR Series Skillets.	
CP-TDM	Tangent Draw-Off Valve Modification.	
CP-SKTD	Correctional Package includes Tangent Draw-Off protection package CP-TDM, plus CP-SCB, CP-SCRD, CP-PCB-T1	\$2,889



CP-COVER

CORRECTIONAL PACKAGES




CP-CHS



CP-HASP



CP-RB



CP-TDPB



SG




CP-PCB



SGP

MODEL	DESCRIPTION	LIST PRICE
FOR STEAM JACKETTED KETTLES: GAS, ELECTRIC AND DIRECT STEAM MODELS		
CP-CHS	Tamper Resistant Spring Assist Cover: Tamper proof screws used to prevent hinge removal. Anti rotational bracket welded to cover to prevent removal and rotation. Price does not include the cover. *Locks provided by others.	
CP-HASP	Hasp style Lockable Spring Assist Cover. * Locks provided by others	
CP-RB	Heavy Duty Reinforced Rim Bar: 1/2" X 1" stainless steel bar continuously welded around the rim.	\$3,600
CP-TDPB	Tangent Draw-Off Valve Protection: Bar type Stainless steel bar welded to kettle. Prevents operator from standing on valve.	
CP-TDM	Tangent Draw-Off Valve Modification: Selected valve will be modified by having the valve handle fastened to stem with tamper proof screws.	
CP-TD-STRAP	Cable attached to TD valve stem.	
CP-FBKT	Tamper Proof Faucet Bracket: Non removable, reinforced faucet bracket. Standard on stationary models.	
CP-SCR	Tamper Proof Screws: Standard screws replaced by tamper proof screws for fastening all removable covers and panels.	
CP-SCRD	Set of Screwdrivers: For tamper proof screws	
SG	Switch Guard: 3/16" dia. Stainless steel rod bolted over controls to prevent damage from impacts. Gas and electric models only.	
CP-PCB	Protective Box for Controls: Completely covers controls. Gas and electric models only. *Locks Provided by others.	
CP-PG	Pressure Gauge Guard: " x " stainless steel bar bolted over gauge to prevent damage from impacts. Gas and electric models only.	
SGP	Sight glass guard	
CP-STATKT	Complete correctional package for stationary kettles, options include CP-CHS tamper proof spring assist cover, CP-HASP style lockable cover, CP-TDPB Bar type tangent protection, CP TDM tamper proof TD valve, CT-TD STRAP for TD valve, CP-SCR tamper proof exterior screws and CP-SCRD set of screw drivers, SG - Bar Type Switch Guard for controls, SGCP-PCB protective control box cover, CP-PG pressure gauge guard, SGP sight glass guard. (Locks by others).	\$6,104
CP-TILTKTTD	Complete correctional package Tilting Kettles WITH Tangent Draw-off option, options include CP-CHS tamper proof spring assist cover, CP-HASP style lockable cover, CP-TDPB Bar type tangent protection, CP TDM tamper proof TD valve, CT-TD STRAP, CP-SCR tamper proof exterior screws and CP-SCRD screw drivers, SG - bar type switch guard for controls, CP-FBKT tamper proof faucet bracket, SGCP-PCB protective control box cover, CP-PG pressure gauge guard, SGP sight glass guard. (Locks by others).	\$6,297
CP-TILTCT	Complete correctional package Tilting Kettles with NO Tangent Draw-Off, options include CP-CHS tamper proof spring assist cover, CP-HASP style lockable cover, CP-SCR tamper proof exterior screws and CP-SCRD set of screw drivers, SG - bar type switch guard for controls, SGCP-PCB protective control box cover, CP-PG pressure gauge guard, SGP sight glass guard, CP-FBKT tamper proof faucet bracket (Locks by others).	\$3,704
CP-RB	Heavy Duty Reinforced Rim Bar: 1/2" X 1" stainless steel bar continuously welded around the rim.	\$3,495



Features built-in marine options designed specifically for harsh marine and shipboard environments.

- Built to comply with USPHS Vessel Sanitation Program 2018 Construction Guidelines.
- Hex Style Exposed Screws with Silicone Seal.
- Anti-Corrosion Nickel Chrome Plated Left Side Trunnion Assembly (Tilting Models).
- Chrome Plated Safety Valve (Kettles).
- Hex Bolt Style Stainless Steel Tangent Draw-Off Handle (optional).
- Protective Stainless Cover over controls.
- Meets IPX6 Water Rating Requirements.

SELF-CONTAINED ELECTRIC TABLETOP MODEL KETTLES

- 23, 45, 80 Liters (6, 12, 20 U.S. Gallons)
- Models KET6TMV, KET12TMV, KET20TMV with Marine Options
- 440-480-volt, 60 Hz. 3 Phase
- Safety Tilt Lock prevents accidental spills
- 50 PSI Steam Jacket Rating, 2/3rd Steam Jacketed



DIRECT STEAM FLOOR MODELS KETTLES

- 150, 225, 300, 380, 475, Liters (25, 40, 60, 80, 100, 125 U.S. Gallons)
- Models KDL- (40, 60, 80, 100, 125) -TMV with Marine Options
- Direct Steam, no electric required
- Self-Locking Manual Worm Gear Style Tilt, 2/3rd steam jacketed
- 50 PSI Steam Jacket Rating up to 100-gallon models, 35 PSI on 125 gallons.



SELF-CONTAINED ELECTRIC FLOOR MODELS KETTLES

- 100, 150, 225, 300, 380, Liters (25, 40, 60, 80, 100, U.S. Gallons)
- Models KEL- (40, 60, 80, 100) -TMV with Marine Options
- Electric 440-480-volt, 60 Hz. 3 Phase
- Self-Locking Manual Worm Gear Style Tilt, 2/3rd steam jacketed
- 50 PSI Steam Jacket Rating



SELF-CONTAINED ELECTRIC TILT SKILLETS (Braising Pans)

- 100, 150 Liters (30, 40 U.S. Gallons)
- Models SEL- (30, 40) -T1MV with Marine Options
- Electric 440-480-volt, 60 Hz., 3 Phase
- Self-Locking Manual Worm Gear Style Tilt




RECOMMENDED PIPE CAPACITY

The figures below are based on 100 feet of clean iron pipe, allowing 10% pressure drop. The presence of valves, elbows, etc. was not considered in calculating the values shown. If the length of pipe is less than 100 ft., the pressure drop will be proportionately less than 10%. If the rate of flow shown for a given pressure and pipe size is increased, the pressure drop will be greater. If the rate of flow is decreased, the pressure drop will be less. The pressure drops to use depends on the circumstance.

MAXIMUM FLOW RATE OF DRY STEAM IN LBS. PER HOUR

SUPPLY PRESSURE	STANDARD PIPE SIZES					
	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
5	20	40	70	140	210	380
10	30	60	110	220	320	600
15	40	80	150	290	430	
20	50	100	180	360	530	
25	60	120	220	430		
30	70	140	250	500		
35	80	160	290	570		
50	100	210	380	760		

RECOMMENDED PIPING SCHEMATIC FOR DIRECT STEAM KETTLES



STEAM REQUIREMENT DATA, BOILER SIZING INFORMATION

Use the following information to determine the steam flow rate requirements for any combination of Cleveland kettles or any combination of Cleveland steamers and kettles.

Example: First, determine the total steam flow requirement using the charts below. Cleveland boilers operate at 8-10 PSI, a 40-gallon kettle will require 70 lbs. of steam per hour, a 2-compartment steamer will require 60 lbs. of steam per hour. Total steam required is 130 lbs. of steam per hour.

Using the Steam Flow Rate of Cleveland boilers, a 300,000 BTU generator will product 180 lbs. of steam per hour, and the 24CGP10 also produces 180 lbs. of stem per hour, enough to run both the 2-compartment steamer and 40-gallon kettle.

STEAM FLOW OF CLEVELAND BOILERS

GAS INPUT BTU PER HOUR	STEAM OUTPUT BTU (LBS. PER HOUR)	STEAM GENERATOR
200,000	125	3.6 BHP
300,000	180	5.2 BHP
ELECTRIC KW INPUT		
24	70	2.0 BHP
36	120	3.5 BHP
48	150	4.4 BHP
STEAMCRAFT POWER 10		
240,000	180	5.2 BHP

STEAM FLOW RATE REQUIREMENT FOR CLEVELAND STEAMERS (lbs. per hour, per compartment)

STEAM FLOW RATE	RATE REQUIRED AT START UP	RATE REQUIRED DURING COOKING
Convection Steamers	30	30
Pressure Steamers	30	15
ConvectionPro	75	75
SteamCraft 10 (24CGP10)	45	45

STEAM FLOW RATE REQUIREMENTS FOR CLEVELAND KETTLES

CLEVELAND KETTLES — STEAM FLOW REQUIREMENTS

KETTLE CAP.		KETTLE DIA.	8-10 PSI STEAM (LBS/HR)	240°F STEAM (HP/HR)	15 PSI STEAM (LBS/HR)	250°F STEAM (HP/HR)	25 PSI STEAM (LBS/HR)	267°F STEAM (HP/HR)	40 PSI STEAM (LBS/HR)	287°F STEAM (HP/HR)
U.S. GAL.	LITERS									
5	17	12"	9	0.26	11	0.32	12.8	0.37	15.9	0.46
10	42	16"	18	0.52	21.9	0.64	25.7	0.75	32.1	0.93
20	95	21"	15	1	43.9	1.27	51.4	1.49	64.1	1.86
30	114	24"	55	1.59	65.9	1.91	77.1	2.24	96.2	2.79
40	151	26"	70	2	85.9	2.49	102.8	2.98	123.5	3.72
60	227	30"	105	3.1	131.7	3.82	154.2	4.47	192.4	5.58
80	300	33"	145	4.2	175.6	5.09	205.7	5.96	256.6	7.44
100	379	36"	175	5.1	219.5	6.36	257.1	7.45	320.7	9.3
125	473	40"	220	6.4	274	7.95	321.3	9.31	400.8	11.6
150	568	40"	250	7.25	329	9.54	385.6	11.1	481	13.9

PRESSURE TEMPERATURE CHART

OPERATING PRESSURE (PSI)	MAX TEMPERATURE	OPERATING PRESSURE (PSI)	MAX TEMPERATURE	OPERATING PRESSURE (PSI)	MAX TEMPERATURE
0	212°	10	239°	35	281°
2	219°	15	250°	40	287°
4	224°	20	259°	45	292°
6	230°	25	267°	50	298°
8	235°	30	274°	70	316°

KETTLE AND TILT SKILLET CAPACITY SERVINGS CALCULATOR CHARTS

CLEVELAND KETTLES CAPACITY SERVING CALCULATOR

					PORTIONS: NUMBER OF SERVINGS					
KETTLE SIZE			TOTAL GALLON CAPACITY	BATCH SIZE	30 ML	60ML	90 ML	120 ML	180 ML	240 ML
GALLONS	QUARTS	LITERS			1 OZ	2 OZ	3 OZ	4 OZ	6 OZ	8 OZ
3	12	11	3.25	2.75	352	176	177	88	58	44
6	20	19	6	5	640	320	213	160	106	80
12	40	38	12	10	1,280	640	426	320	213	160
20	80	76	21	18	2,304	1,152	768	576	384	288
25	100	95	25.5	22	2,186	1,408	938	704	469	352
30	120	114	31	26	3,328	1,664	1,109	832	554	416
40	160	152	42	35	4,480	2,240	1,493	1,120	746	560
60	240	228	62	52	6,656	3,328	2,218	1,664	1,109	832
80	320	304	83	70	8,960	4,480	2,986	2,240	1,493	1,120
100	400	380	103	85	10,880	5,440	3,626	2,720	1,813	1,360
125	500	475	129	105	13,440	6,720	4,480	3,360	2,240	1,680
150	600	570	155	125	16,000	8,000	5,333	4,000	2,666	2,000

TILT SKILLET CAPACITY SERVING CALCULATOR

					PORTIONS: NUMBER OF SERVINGS					
TILT SKILLET SIZE			TOTAL GALLON CAPACITY	BATCH SIZE	30 ML	60ML	90 ML	120 ML	180 ML	240 ML
GALLONS	QUARTS	LITERS			1 OZ	2 OZ	3 OZ	4 OZ	6 OZ	8 OZ
10	40	38	10	10	1,280	640	426	320	213	160
15	60	60	15	15	1,920	960	639	480	320	240
30	120	114	31	26	3,328	1,664	1,109	832	554	416
40	160	152	42	35	4,480	2,240	1,493	1,120	746	560

ENERGY STAR STEAMER DATA

Use the Information below for energy and water consumption information on Cleveland Energy Star Steamers and LEED requirement information

MODEL NUMBER	1SCE	1SCEMCS	22CCT6	22CET3.1	22CET6.1	22CGT3.1	22CGT3.1	24CGA10.2ES
Pan Capacity	5	5	6	3	6	3	6	10
Primary Fuel Source	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	GAS	GAS	GAS
Type	BOILERLESS	BOILERLESS	BOILERLESS	BOILERLESS	BOILERLESS	BOILERLESS	BOILERLESS	GENERATOR
Cooking Energy Efficiency (%)	71%	71%	70%	67%	64%	39%	43%	45%
Water Consumption (Gal/Hr)	3.49	3.49	3.6	4	10	0.31	0.97	16
Water Consumption (Gal/Hr) — Per Pan	0.70	0.70	0.6	1.33	1.67	0.10	0.16	1.6
Idle Energy Rate (Watts)	567	567	670	310	390			
Idle Energy Rate (BTU/Hr)						2440	3640	3711

LEED REQUIREMENTS

LEED REQUIREMENTS 4.1	BD+C (Healthcare, Retail, Schools, Hospitality)	BD+C (Commercial Kitchens, At Least 100 Meals/Day)
(WE) Water Efficiency Credit		
Food Steamer — Batch Cooking	</=6 gal/Hr/Pan	
Food Steamer — Cook to Order	</=10 gal/Hr/Pan	
LEED REQUIREMENTS 4.1		
Food Steamer — Batch Cooking, No Drain		</=6 gal/Hr/Pan
Food Steamer — Cook to Order, With Drain		</=10 gal/Hr/Pan
*Includes drain condensing water		
(EA) Energy Performance Credit		
	Must Meet Energy Star	Must Meet Energy Star

STATEMENT OF POLICY

Cleveland Steam Cooking Equipment is intended for Commercial use only by professionally trained personnel.

Cleveland Steam Cooking Equipment is built to comply with applicable standards of manufacturers. Included among these approval agencies are: U.L., N.S.F., A.S.M.E./Ntl. Bd., C.S.A., A.G.A., C.G.A., E.T.L., C.E., and others. Many local codes exist, and it is the responsibility of the Owner and Installer to comply with these codes. Constant product improvement makes it necessary for new or improved models to be suited for testing by these various agencies. Therefore, not all models may always have all agency approvals. Cleveland Steam Boilers (Steam Generators) and Kettles are National Board registered and carry the approved stampings and listing of the American Society of Mechanical Engineers (A.S.M.E.). Cleveland Steam Cooking Equipment, when properly installed according to instructions, complies with the intent of the O.S.H.A. Act.

SALES POLICY

All orders must have the Dealer's name and address; shipping address; and installation location, including name, address and phone number before the order can be processed.

All orders should indicate model number, electrical characteristics, type of gas, altitude (if installation is over 2000 feet) and, when required, the incoming steam pressure.

Approved drawings, when required, and firm shipping date must be received before equipment can be scheduled for production.

Specify left or right door hinging for cooking compartments on Convection and SteamCraft® Steamers.

RETURN POLICY

- 1 | All returned product must have an RMA number from Customer Service prior to sending the product back.
- 2 | The product must be standard product, still in original packaging and within 90 days from date invoiced. Standard products are defined as product configurations that are saleable to the general market. Custom Products are product configurations that are unique to a specific customer and cannot be sold to other customers. Obsolete discontinued products cannot be returned.
- 3 | If return is approved for standard product, the standard restock charge is 30% or 20% if a replacement order is made.
- 4 | Custom product is non-returnable.
- 5 | Applicable freight charges and re-crating will be the customer's responsibility.
- 6 | RMA number must be clearly written on all shipping paperwork to factory/warehouse.
- 7 | RMA will be valid for 45 days from date of issue.

CLEVELAND RANGE — LIMITED WARRANTY

CLEVELAND RANGE products are warranted to the original purchaser to be free from defects in materials and workmanship under normal use and service for the standard warranty period of one year from date of installation or 18 months from date of shipment, whichever comes first.

CLEVELAND RANGE agrees to repair or replace, at its option, f.o.b. factory, any part which proves to be defective due to defects in material or workmanship during the warranty period, providing the equipment has been unaltered, and has been PROPERLY INSTALLED, MAINTAINED, AND OPERATED IN ACCORDANCE WITH THE CONVOTHERM BY CLEVELAND OWNER'S MANUAL.

CLEVELAND RANGE agrees to pay any FACTORY AUTHORIZED SERVICE (FAS) AGENCY (within the continental United States, and Hawaii) for reasonable labor required to repair or replace, at our option, f.o.b. factory, any part which proves to be defective due to defects in material or workmanship, during the labor warranty period. This warranty includes travel time not to exceed two hours and mileage not to exceed 50 miles (100 miles round-trip), BUT DOES NOT INCLUDE POST START-UP, TIGHTING LOOSE FITTINGS, MAINTENANCE, CLEANING OR DESCALING.

The standard labor warranty allows factory payment of reasonable labor required to repair or replace such defective parts. CLEVELAND RANGE will not reimburse the expense of labor required for the repair or replacement of parts after the standard warranty period, unless an Extended Labor Warranty Contract has been purchased to cover the equipment for the balance of the warranty period from the date of equipment installation, start-up, or demonstration.

PROPER INSTALLATION IS THE RESPONSIBILITY OF THE DEALER, THE OWNER-USER, OR INSTALLING CONTRACTOR, AND IS NOT COVERED BY THIS WARRANTY. Many local codes exist, and it is the responsibility of the owner and installer to comply with these codes. CLEVELAND equipment is built to comply with applicable standards for manufacturers, including UL, AGA, NSF, ASNE/Ntl. Bd, CSA, CGA, ETL and others.

PRESSURE BOILER AND STEAM GENERATOR MAINTENANCE IS THE RESPONSIBILITY OF THE OWNER-USER AND IS NOT COVERED BY THIS WARRANTY. The use of good quality feed water is the responsibility of the Owner-User (see Water Quality Recommendations below). THE USE OF POOR QUALITY FEED WATER WILL VOID EQUIPMENT WARRANTIES. Boiler maintenance supplies, including boiler hand gaskets, are not warranted beyond the first 90 days after the date the equipment is placed into service. Preventive maintenance records must be available showing descaling per applicable Cleveland Operator Manual for Boiler Proration Program considerations.

WATER QUALITY RECOMMENDATIONS			
Total Dissolved Solids (TDS)	50 - 250 ppm	SiO42 (Sulfate)	max 150 ppm
Hardness	50 - 200 ppm (3-12 gpg)	NH2Cl (Monochloramine)	max .01 ppm
pH value	7.0 - 8.5	Total Alkalinity	50 - 100 ppm
CL (Chloride)	max 50 ppm	Water Pressure	35 - 80 PSI
Cl2 (free chlorine)	max 0.1 ppm	Water Temperature	max 104°F

The foregoing shall constitute the sole and exclusive remedy of original purchaser and the full liability of Cleveland Range for any breach of warranty. THE FOREGOING IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER WRITTEN, ORAL, OR IMPLIED, INCLUDING ANY WARRANTY OF PERFORMANCE, MERCHANTABILITY, OR FITNESS FOR PURPOSE, AND SUPERSEDES AND EXCLUDES ANY ORAL WARRANTIES OR REPRESENTATIONS, OR WRITTEN WARRANTIES OR REPRESENTATIONS, NOT EXPRESSLY DESIGNATED IN WRITING AS A "WARRANTY" OR "GUARANTEE" OF CLEVELAND RANGE MADE OR IMPLIED IN ANY MANUAL, LITERATURE, ADVERTISING BROCHURE OR OTHER MATERIALS.

CLEVELAND RANGE'S liability on any claim of any kind, including negligence, with respect to the goods or services covered hereunder, shall in no case exceed the price of the goods or services, or part thereof, which gives rise to the claim. IN NO EVENT SHALL CLEVELAND RANGE BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES IN THE NATURE OF PENALTIES.

CLEVELAND RANGE — LIMITED WARRANTY (CONT.)

PRESSURE BOILER — STEAM GENERATOR WARRANTY

All Pressure boilers and steam generators will receive an additional 4 year prorated limited parts warranty after one year from effective warranty date. The user shall pay a prorated share of the selling price based on number of months in service. Prorated Coverage: 1 Year 100% - 2 Year 80% (100% with purchase of filter) - 3 Year 60% - 4 Year 40% - 5 year 20%.

PERFORMANCE START UP & DEMONSTRATION

Performance Start up by Factory Authorized Servicer included at customer request after equipment is installed to ensure equipment is installed properly and performing as designed. Included in the startup is a Free Water Quality Check (Contact Cleveland sales representative for details).

TWO YEAR WARRANTY K-12 SCHOOL WARRANTY

For K-12 Schools, extended two-year limited warranty at no additional charge, not to exceed 24 months from date of installation. 3rd Year Water Filter Warranty included, see details below.

3-YEAR STEAMER DOOR WARRANTY, DOOR GASKETS AND ADJUSTMENTS

3-year limited parts warranty on 3, 5, 6 compartment steamer doors (Gaskets covered under 1-year limited warranty). Non part replacement adjustments on steamers, kettles and tilt skillets (lose wires, clamps, leaks) covered under 1-year limited warranty.

EXTENDED WATER FILTER WARRANTY

When purchasing a steamer and Cleveland specified water filter from Cleveland Ranged at the same time, a second year limited extended warranty on will be included at no charge, must include a completed Performance Start-Up and water quality check. Must maintain equipment and filter replacements.

EXTENDED WARRANTY

The purchase of a Limited Extended Warranty Contract extends the standard warranty coverage to the purchased period demonstration, or 18 months from date of shipment, whichever comes first. Individual warranties may vary by model, part or application. Major components have labor extended an additional year with the purchase of an extended warranty, but not parts. Extended warranties are non-transferable. Only available in the 48 contiguous US states (Hawaii and Alaska are excluded).

- Performance Start up required for extended warranty coverage.
- Extended Warranty must be purchased at the same time the equipment is purchased.
- Extended Warranty has the same exclusions as stated in our standard warranty.

PRICES FOR EXTENDED WARRANTY ARE NET PRICES

- 10% off net prices when purchased with Welbilt Kitchencare Installation
- 20% off net prices when purchased with Welbilt Kitchen Preventative Maintenance (PM) Program
- 30% off net prices when purchased with Welbilt Kitchencare Installation and PM Program

PRODUCT	PART NUMBER	ITEM DESCRIPTION	NET PRICE
SteamChef	EW Steamchef	+1YR Warranty Steamchef	\$576.45
SteamCraft 3	EW SCraft 3.1	+1YR Warranty Steamcraft31	\$460.95
SteamCraft 5	EW SCraft 5.1	+1YR Warranty Steamcraft51	\$912.45
SteamCraft 10	EW Steam 10	+1YR Warranty Steam10 Pan	\$985.95
ALL KETTLES	EW Kettle	+1YR Warranty Kettle	\$576.45
ALL TILT KETTLES	EW Skillet	+1YR Warranty Skillet	\$523.95

STEAMERS — CLEVELAND CERTIFIED INSTALLATION PROGRAM AND KITS

Cleveland's Factory Authorized Servicer (FAS) will arrange and oversee the complete installation and start-up process to ensure proper operation.

STANDARD INSTALLATION PRICING INCLUDES

- Travel to and from installation location by Factory Authorized Servicer (FAS) – up to 200 miles round trip
- Professionally reviewed and managed install process
- Delivery of purchased equipment
- Uncrating of purchased equipment
- Inspection of purchased equipment prior to install
- Assembly of purchased equipment
- Stacking of purchased equipment
- Placement of unit
- Leveling of unit
- Connection of existing utilities within 3 feet of unit
- Operational/functional test
- Disposal of new equipment packaging and dunnage
- Operator functional training on day of installation

STANDARD INSTALLATION PRICING DOES NOT INCLUDE

- Pre-installation site survey (required)
- Installation kit (recommended)
- Installation of water filtration, additional charges as shown below
- FAS travel over 200 miles round trip
- Special licensing and permits
- Installation outside normal business hours
- Site modifications
- Some installation locations will require additional materials to be purchased by customer
- In the event the pre-installation site survey or installation visit is aborted due to the site not being ready, the customer will be required to pay the FAS directly for any additional labor and travel charges for subsequent visits.
- Disposal of old equipment, additional charge as shown below.

AVAILABLE CLEVELAND INSTALLATION PROGRAMS (SEE PAGE 12 FOR PRICING)

PART NUMBER	DESCRIPTION
INSTALLATION OF FIRST UNIT*	
11000115896	Tabletop Steamers: 22CET3/6, 22CGT3/6, 21CET, 21CGA5 Series
11000115898	Floor Model Steamers: 24CGA10, 24CEA10, 24CGA6.2, 24CGA10.2
11000115900	Floor Model Steamer: 24CGP10
INSTALLATION OF SECOND UNIT, SAME LOCATION, SAME TIME*	
11000115897	Tabletop Steamers: 22CET3/6, 22CGT3/6, 21CET, 21CGA5 Series
11000115899	Floor Model Steamers: 24CGA10, 24CEA10, 24CGA6.2, 24CGA10.2
11000115901	Floor Model Steamer: 24CGP10
ADDITIONAL INSTALLATION PROGRAM SERVICE PRICES*	
11000116000	Pre installation Site Survey (Required)
11000116001	Water Filter Installation – standard system, only for filters include in Cleveland Price List
11000116002	Disposal of Old Equipment
INSTALLATION KITS*	
Installation Kits contain the necessary parts to connect utilities to the equipment. Installation of the equipment requires common tools that are not included in the kits, one per unit.	
INSTKITCET1	Install Kit for 22CET, 21CET 208, 220/240 Volt, 3 Phase
INSTKITCET2	Install Kit for 22CET, 21CET 440/480 Volt, 3 Phase
INSTKITCET3	Install Kit for 21CET16, 208,220, 240 Volt Series
INSTKITCET4	Install Kit for 24CEA10, 208,240, 480 Volt Series
INSTKITCGA5	Install Kit for 21CGA5, 22CGT3/6 Series
INSTKITCGA6	Install Kit for 24CGA, 24CGP Series

WATER TREATMENT SELECTION GUIDE

1 UNDERSTAND THE BASIC WATER CHARACTERISTICS OF YOUR WATER

Compare water quality at your location to the Cleveland Water Quality Requirements listed here.

- Contact your water company for information about the quality of your water.
- Cleveland can provide a complete water analysis through an independent laboratory

CLEVELAND WATER QUALITY RECOMMENDATIONS			
Total Dissolved Solids (TDS)	50 - 250 ppm	Cl2 (Free Chlorine)	max .01 ppm
Hardness	50 - 200 ppm (3-12 gpg)	Fe (Iron)	max .01 ppm
pH value	7.0 - 8.5	SiO2 (Silica)	max 13 ppm
CL (Chloride)	max 50 ppm	NH2Cl (Monochloramine)	max .01 ppm

2 SELECTING THE RIGHT SYSTEM FOR YOUR EQUIPMENT

Determine if your water meets or does not meet Cleveland water quality requirements and select the right system for your applications.

CLEVELAND STEAMER MODEL	WATER QUALITY		
	MEETS STANDARD		DOES NOT MEET STANDARD
	ALL APPLICATIONS	HARDNESS ABOVE 170 ppm, pH is below 8.5 pH.	ALL APPLICATIONS
STEAMCHEF SERIES (BOILERLESS)			
22CET3.1, (6.1), 22CGT3.1 (6.1) STEAMCRAFT (GENERATORS)	QT11-CR	QTSX-2PG	OPS175CR/16
21CET8	QT11-CR	QTSX-2PG	OPS175CR/16
21CET16	QT11-CR	QTSX-2PG	OP350/16
21CGA5	QT11-CR	QTSX-2PG	OP350/16
6-10 PAN MODELS (GENERATORS)			
24CGA6.2S	QT11-CR	QTSX-2PG	OP350/16
24CGA10.2ES (Energy Star)	QT11-CR	QTSX-2PG	OP350/16
24CGA10	QT11-CR	QTSX-2PG	OP350/50
24CGA10.2	QT11-CR	QTSX-2PG	OP350/50
24CEA10	QT11-CR	QTSX-2PG	OP350/50
24CGP10	QT11-CR	QTSX-2PG	BWS1500/50
CLASSIC CONVECTION SERIES (BOILER)			
200,000 BTU Boilers (24CGM200)	QT11-CR	QTSX-2PG	BWS1500/50
300,000 BTU Boilers (36CGM300)	QT11-CR	QTSX-2PG	BWS1500/50
24 kW Boilers (24CEM)	QT11-CR	QTSX-2PG	OP350/50
36 kW, 48 kW Boilers (24CEM)	QT11-CR	QTSX-2PG	BWS1500/50
24 kW Boilers PEM24	QT11-CR	QTSX-2PG	OP350/50
36 kW Boilers PEM36	QT11-CR	QTSX-2PG	BWS1500/50
48 kW Boilers PEM48	QT11-CR	QTSX-2PG	BWS1500/50

Optipure OP Series systems utilize reverse osmosis (RO) to remove total dissolved solids (TDS) from water, including chlorides and hardness mineral. Then balance of minerals is introduced into the pure water to provide desirable "Optimized" water with a stable, non-aggressive nature that can significantly reduce water-related equipment problems including corrosion and scale.

Optipure QT11-CR recommended for Cleveland steamers with steam generators reduces chlorine/ chloramines and takes out sediment down to micro and includes IsoNet™ scale inhibitor.

Optipure QTSX2-PG recommended for use with steam generators, reduces chlorine and takes out sediment down to micron. ScaleX2 uses "template assisted crystallization" to effectively minimize scale formation at high.

WATER QUALITY TEST KIT
PART NO: 1150360

CLEVELAND RANGE QUICKSHIP

PRODUCT SERIES	ITEM #	MODEL NUMBER — DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
STEAMERS					
	22CCT62082403C	Model 22CCT6 — Steamchef, 6-Pan Boilerless, Connectionless Steamer, 208-240 Volt, 3 Phase, With Cord & Plug	335/153	\$23,847	
	22CET32082403MCS	Model 22CET3.1 — Steamchef, 3-Pan Boilerless Steamer, 208-240 Volt, 3 Phase, Mechanical Controls	235/107	\$19,712	
	22CET62082403MCS	Model 22CET6.1 — Steamchef, 6-Pan Boilerless Steamer, 208-240 Volt, 3 Phase, Mechanical Controls	335/153	\$25,581	
	22CGT6.1NATMCS	Model 22CGT6.1 — Steamchef 6 -Pan Boilerless Steamers, Natural Gas, 120 Volt, Mechanical Controls	355/161	\$30,795	
	21CET82083MCS	Model 21CET8 — Steamcraft 3, 3-Pan Steamer, Electric Generator, 208 Volt, 3 Phase	210/50	\$17,400	
	21CET162083MCS	Model 21CET16 — Steamcraft 3, 5-Pan Steamer, Electric Generator, 208 Volt, 3 Phase	248/58	\$24,728	
	21CGA5NMCS	Model 21CCA5 — Steamcraft, 5-Pan Gas Steamer, Natural Gas With Generator, 120 Volt, Mechanical Control	275/125	\$33,768	
	24CGA10NMCS	Model 21CGA10 — Steamcraft, 10-Pan Gas Steamer, Natural Gas With Generator, 120 Volt, Mechanical Controls	565/256	\$48,398	
	24CEA102083MCS	Model 21CEA10 — Steamcraft, 10-Pan Gas Steamer, Natural Gas, With Electric Generator, 208 Volt, 3 Phase, Mechanical Controls	528/240	\$48,129	
	24CGA10.2NMCS	Model 21CGA10.2 — Gemini Series , 10-Pan Gas Steamer, Natural Gas, With Generator, 120 Volt, Mechanical Controls	565/256	\$53,368	
	KETTLES				
		KET6TP	Model KET6T — 6 Gallon Electric Kettle, 208-240 Volt, 3 Phase, Field Adjustable To Single Phase	160/73	\$15,939
KET12TP		Model KET12T - 12 Gallon Electric Kettle, 208-240 Volt, 3 Phase, Field Adjustable To Single Phase	180/82	\$19,287	
KET12THWHTSP		Model KET12T — 12 Gallon Electric Kettle, High Wattage, 208-240 Volt, 3 Phase, Field Adjustable To Single Phase, Single Pantry Faucet	180/82	\$19,287	
KGT6TP		Model KGT6T — 6 Gallon Gas Kettle, Natural Gas, 120 Volt With Cord And Plug	130/59	\$28,958	
KGT12TP		Model KGT12T — 12 Gallon Gas Kettle, Natural Gas, 120 Volt With Cord And Plug	190/86	\$34,416	
KGL40P		Model KGL40 — 40 Gallon Stationary Gas Fired Kettle, Natural Gas, 120 Volt, Cord & Plug, 2" Tangent Draw-Off, Spring Assist Cover	520/235	\$44,743	
KGL60P		Model KGL60 — 60 Gallon Stationary Gas Fired Kettle, Natural Gas, 120 Volt, Cord & Plug, 2" Tangent Draw-Off, Spring Assist Cover	560/255	\$55,794	
KGL40TP		Model KGL40T — 40 Gallon Tilting Gas Fired Kettle, Natural Gas, 120 Volt, Cord & Plug, 2" Tangent Draw-Off, Spring Assist Cover, Manual Hand Tilt	520/235	\$73,002	
TILT SKILLETS					
	SET15208P	Model SET15- 15 Gallon Electric Tilt Skillet, 208 Volt, 3 Phase	201/93	\$26,239	
	SGL30T1NATHTP	Model SGL30T1, 30 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug	520/237	\$48,377	
	SGL30T1NATHTD2P	Model SGL30T1, 30 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug, With 2' Tangent Draw-Off	520/237	\$50,004	
	SGL40T1NATHTP	Model SGL40T1, 40 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug	610/277	\$52,092	
	SGL40T1NATHTD2P	Model SGL40T1, 40 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug, With 2" Tangent Draw-Off	528/240	\$53,719	
	SGL30TNATHTP	Model SGL30TR, 30 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug	498/227	\$45,929	
	SGL40TNATHTP	Model SGL40TR, 40 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug	528/240	\$49,691	

SHIPPING WEIGHTS, DIMENSIONS, CUBIC FEET, FREIGHT CLASS

MODEL NUMBER	PRODUCT LINE	WEIGHT (LBS)	LENGTH (IN)	WIDTH (IN)	HEIGHT (IN)	CUBIC FEET	FREIGHT CLASS
SD1050K66	Kettle, Direct Steam	302	45	44	55	12	85
SD450K6	Kettle, Direct Steam	145	45	44	55	12	85
SD650K12	Kettle, Direct Steam	240	45	44	55	12	85
SD760K12	Kettle, Direct Steam	320	45	44	55	12	85
SD760K20	Kettle, Direct Steam	330	45	44	55	12	85
TKET12T	Kettle, Electric	304	28	54	39	10.1	85
TKET3T	Kettle, Electric	135	28	54	39	10.1	85
TKET6T	Kettle, Electric	220	28	54	39	10.1	85
24EMK6	Kettle, Electric	403	30	43	67	11.7	85
KDL25T	Kettle, Direct Steam	170	38	38	54	10.8	85
KDL25T	Kettle, Direct Steam	285	38	38	54	10.8	85
KDL40	Kettle, Direct Steam	241	44	44	54	11.8	85
KDL40T	Kettle, Direct Steam	291	44	44	54	11.8	85
KDL60	Kettle, Direct Steam	279	48	48	54	12.5	85
KDL60T	Kettle, Direct Steam	364	48	48	54	12.5	85
KDM40T	Kettle, Direct Steam	377	44	44	54	11.8	85
KDM60T	Kettle, Direct Steam	430	44	44	54	11.8	85
KDT10T	Kettle, Direct Steam	50	23	26	27	6.3	85
KDT12T	Kettle, Direct Steam	74	23	26	27	6.3	85
KDT1T	Kettle, Direct Steam	20	16	16	14	3.8	85
KDT20T	Kettle, Direct Steam	90	24	24	24	91	85
KDT3T	Kettle, Direct Steam	34	23	26	17	5.5	85
KDT6T	Kettle, Direct Steam	40	23	26	27	6.3	85
KEL100	Kettle, Electric	467	48	48	54	12.5	85
KEL25	Kettle, Electric	240	38	38	54	10.8	85
KEL25T	Kettle, Electric	304	39	39	54	11	85
KEL30	Kettle, Electric	282	38	38	55	10.9	85
KEL40	Kettle, Electric	296	38	38	55	10.9	85
KEL40SH	Kettle, Electric	280	44	44	54	11.8	85
KEL40T	Kettle, Electric	365	44	44	54	11.8	85
KEL40T	Kettle, Electric	455	44	44	54	11.8	85
KEL60	Kettle, Electric	380	48	48	54	12.5	85
KEL60T	Kettle, Electric	471	48	48	54	12.5	85
KEL80	Kettle, Electric	411	48	48	54	12.5	85
KEL80T	Kettle, Electric	470	54	54	54	12.5	85
KET12T	Kettle, Electric	177	28	38	39	8.8	85
KET20T	Kettle, Electric	273	38	38	54	10.8	85
KET3T	Kettle, Electric	123	28	39	39	8.8	85
KET6T	Kettle, Electric	134	28	38	39	8.8	85
KGL25	Kettle, Gas	384	38	38	54	10.8	85
KGL25T	Kettle, Gas	462	38	38	54	10.8	85
KGL40	Kettle, Gas	454	44	44	54	11.8	85
KGL40SH	Kettle, Gas	552	49	49	54	12.7	85
KGL40T	Kettle, Gas	552	49	49	54	12.7	85
KGL60	Kettle, Gas	510	44	44	54	11.8	85
KGL60T	Kettle, Gas	645	44	44	59	12.3	85

SHIPPING WEIGHTS, DIMENSIONS, CUBIC FEET, FREIGHT CLASS

MODEL NUMBER	PRODUCT LINE	WEIGHT (LBS)	LENGTH (IN)	WIDTH (IN)	HEIGHT (IN)	CUBIC FEET	FREIGHT CLASS
KGL80	Kettle, Gas	597	56	55	59	14.2	85
KGT12T	Kettle, Gas	271	38	38	54	10.8	85
KGT6T	Kettle, Gas	198	28	38	39	8.8	85
1SCEMCS	Steamer, Electric	255	30	35	36	8.4	85
21CET16	Steamer, Electric	248	30	35	36	8.4	85
21CET8	Steamer, Electric	181	30	35	30	7.9	85
21CGA5	Steamer, Electric	260	31	41	37	9.1	85
22CET3.1	Steamer, Electric	238	30	40	36	8.8	85
22CET6.1	Steamer, Electric	282	30	41	40	9.3	85
22CGT6.1	Steamer, Gas	341	30	41	36	8.9	85
24CDP10	Steamer, Direct Steam	470	49	41	78	14	85
24CEA10	Steamer, Electric	528	49	41	78	14	85
24CEM24	Steamer, Electric	530	30	43	68	11.8	85
24CGA10.2	Steamer, Gas	565	49	41	78	14	85
24CGA10	Steamer, Gas	565	49	41	78	14	85
24CGA6.2	Steamer, Gas	565	49	41	78	14	85
24CGM200	Steamer, Gas	610	30	43	68	11.8	85
24CGP10	Steamer, Gas	830	49	41	78	14	85
24CSM	Steamer, Steam Coil	635	30	43	68	11.8	85
36CEM1648	Steamer, Electric	1080	44	42	80	13.8	85
36CGM300	Steamer, Electric	755	44	42	80	13.8	85
24GM	Boiler Base, Gas	454	30	43	67	11.7	85
36GM	Boiler Base, Gas	610	30	43	67	11.7	85
PDL2	Pressure Steamer	510	44	42	80	13.8	85
PDL3	Pressure Steamer	600	44	42	80	13.8	85
PDL4	Pressure Steamer	620	44	42	80	13.8	85
PEM242	Pressure Steamer	830	44	42	80	13.8	85
PEM243	Pressure Steamer	875	44	42	80	13.8	85
PGM2002	Pressure Steamer	874	44	42	80	13.8	85
PGM3003	Pressure Steamer	1040	44	42	80	13.8	85
SEL30T1	Tilt Skillet, Electric	565	44	44	54	11.8	100
SEL30TR	Tilt Skillet, Electric	503	44	44	55	11.9	100
SEL40T1	Tilt Skillet, Electric	610	48	58	54	13.3	100
SEL40TR	Tilt Skillet, Electric	610	48	58	54	13.3	100
SET10	Tilt Skillet, Electric	212	34	34	34	8.5	100
SET15	Tilt Skillet, Electric	195	34	34	34	8.5	100
SGL30T1	Tilt Skillet, Gas	500	44	44	54	11.8	100
SGL30TR	Tilt Skillet, Gas	504	44	44	54	11.8	100
SGL40T1	Tilt Skillet, Gas	666	48	58	55	13.4	100
SGL40TR	Tilt Skillet, Gas	624	48	58	54	13.3	100
SGM30TR	Tilt Skillet, Gas	540	44	44	55	11.9	100
SGM40TR	Tilt Skillet, Gas	691	48	58	55	13.4	100

THIS PAGE INTENTIONALLY LEFT BLANK

THIS PAGE INTENTIONALLY LEFT BLANK

THIS PAGE INTENTIONALLY LEFT BLANK

THIS PAGE INTENTIONALLY LEFT BLANK



Welbilt's portfolio of award-winning brands includes **Cleveland™**, **Coffee Queen®**, **Convotherm®**, **Crem®**, **Crystal Tips®**, **Dean®**, **Delfield®**, **Expobar®**, **Fabristeel®**, **Frymaster®**, **Garland®**, **Inducs®**, **Koldtech®**, **Kolpak®**, **Lincoln®**, **McCann's™**, **Merco®**, **Merrychef®**, **Multiplex®**, **RDI®**, **SerVend™**, **Spengler®**, **SunFire®** and **U.S. Range™**. Supported by service brands: **KitchenCare®**, aftermarket service; **FitKitchen®**, kitchen systems; and **KitchenConnect®**, cloud-based open platform.

Bringing innovation to the table • **welbilt.com**